

E1220

1/3" Color Mid. Res. Lens Integrated Camera





ES 1/100,000

BLC ON/OFF





Specifications:

Video Format: NTSC/PAL

Picture Element: NTSC:512(H) x 492(V)

PAL:512(H)x 582(V)

Horizontal Resolution: 380TV lines

Sensitivity: 0.5 lux/F=1.2

S/N ratio: Over 48 dB

Electronic Shutter: Up to 1/100,000

Black Light Comp.: On/Off Switch

Auto Gain Control: On

Auto White Balance: Yes

Gamma Correction: >0.45

Sync Mode: Internal Sync.

Power Source: 12VDC or 24VAC

300mA

Dimension: 66(W)x59(H)x146(L)mm

Lens: Vari-Focal lens 4~9 mm

Operating

temperature: 0°C to 50°C

Mounting bracket

dimension:

Aluminum,

155mm(H) x 45mm (O.D.)

Max Load 3kgs

* Design and specifications are subject to change without prior notice

Features:

- 380 TV lines of horizontal resolution.
- System available for NTSC and PAL
- S/N Ratio:More than 48dB
- Effective pixels (HxV) of 512 x 492
 for NTSC and of 512 x 582 for PAL.

Ordering Information:

EI220A/N: 1/3" Color Mid. Res.

Lens Integrated Camera, NTSC,

380TV lines, 24VAC.

EI220A/P: 1/3" Color Mid. Res.

Lens Integrated Camera, PAL,

380TV lines 24VAC.

El220/N: 1/3" Color Mid. Res.

Lens Integrated Camera, NTSC,


380TV lines,12VDC.

EI220/P: 1/3" Color Mid. Res.

Lens Integrated Camera, PAL,

380TV lines,12VDC

Dimension:



MKE-EI220L2