S15C

Durabook Tough Features

Darabook roagii i catare		
Drop Resistant	Magnesium alloy case - 20 times stronger than ABS plastic, offering higher survival rate after drops and bumps.	
	26 drops from 76 cm height to plywood over concrete with unit off and display closed. 5 units to pass. Simulate MIL STD 810G Method 516.6, Procedure IV.	
Shock Resistant	Anti-shock mounting design protects LCD screen and hard disk drive from damage and data loss.	
	Flexible HDD cable design absorbs shock from drops.	
	Simulate MIL STD 810G, Method 514.6, Procedure I, Category 4, Fig 514.6C-1 Represents Truck Transport on interstates	
	highway for 1609km in 60 minutes	
Spill Resistant	Spill resistant keyboard, touchpad and switches.	
	Spill resistant design stops spills from leaking into sensitive interior parts.	
Optical Disk Lock	Exclusive optical disk tray lock prevents unintentional tray eject from drop and vibration.	
Battery Protection	Double protection smart battery circuitry prevents damage caused by current or voltage surges and overheating.	
	Smart Battery Calibration helps fight the loss of battery capacity after repeated charge-discharge cycles.	
System Specifications		
Processor	Intel® i7 processor 620M	
	Intel® i5 processor 560M	
	Intel® i3 processor 380M	
	Intel® Pentium®Processor P6200	
	PGA socket 988	
Chipset	Intel® HM55 Chipset	
System Memory	Two Dual Channel DDR III SODIMM Slots each for 1GB/2GB/4GB (8GB Maximum)	
Hard Disk Drive	2.5" 9.5mm Hard Disk Drive, 250/320/500GB, SATA II 300	
	Anti Shock Mounted HDD (Protection From Vibration In Transporting)	
Optical Media Device	One internal optical drive for:	
	 DVD Dual or DVD Super Multi (DVD-R/CD-RW/DVD-RW/DVD+RW_DL/DVD-RAM) 	
Display		HD+ resolution (1920 x 1080) (Option)
Graphics & Video	Intel® Intergrated graphics controller	
Audio	Compliant to Intel® High Definition Audio (Azalia)	
	Stereo: two 1.5W speakers	
	Built-in Microphone	
I/O Devices	One Smart Card socket	• 2 button PS/2 Touchpad
	• 4 in 1 media card reader support MS/MS Pro/SD/MMC	One 1.3 MEGA Pixel webcam (option)
I/O Ports Keyboard	Three USB 2.0 connectors	One Line-Out phone jack for external speakers
	• One IEEE 1394 port	One Mic-In phone jack for external microphone
	• One 9 pin D-sub connector for RS232 serial port	One RJ-45 jack for internal 10/100/1000Mbps Ethernet
	• One Type II Express Card 34/54	• One DC-In jack
	One 15 pins D-Sub connector for external monitor Cill resistant Keeks and (00 Keeps with Windows Kee)	
Keyboard	Spill resistant Keyboard (88 Keys with Windows Key)	
	Function Keys: • Fn+F1: Bluetooth off/on	• Fn+F6: Brightness Decrease • Fn+F11: Touch Panel on/ off
	• Fn+F2:3G off/on	• Fn+F7: Brightness Increase
	• Fn+F3:Touchpad off/on	• Fn+F8: Volume Decrease
	• Fn+F4: Suspend mode	• Fn+F9: Volume Increase
	• Fn+F5: Display Switch (LCD -> CRT -> LCD+CRT)	• Fn+F10: Mute
Wireless/Communications	Ethernet: Integrated 10/100/1000 Mbps Ethernet	THIT TO MILE
	Wireless: Intel® Mini Express Wireless LAN 802.11 a/b/g/n or b/g/n network connection	
	Bluetooth 2.1 + EDR (option)	
	Optional WWAN 3G module and antenna(option)	
	The SIM card is secured behind a security-screwed door	
AC Adapter	Input: AC 100-240V ~1.5A 50-60Hz, Output: 19V/4.75A/90	W
Battery Dimensions & Weight	Standard: 6 cell 4400mAh Li-lon battery	
	Optional: 9 cell 6600mAh Li-lon battery	
	370mm(W) x 276mm(D) x 37.5~40mm(H) / 14.6"(W) x 10.9"(D) x 1.48"~1.57"(H)	
	3.0Kg/6.61lbs (with 6 cell battery) / 3.2Kg/7.05lbs (with 9 cell battery)	
TPM	Standard Internal TPM 1.2 Data Security Protection	
Certification	ECC DOC CITI CE CB	



Certification

Security



Kensington Lock / Administrator password / Boot password / TPM 1.2 Support

Tel: 1-510-492-0828

FCC, DOC, CUL CE, CB

Email: sales@gammatechusa.com http://www.gammatechusa.com

- The specification and pictures are subject to change without notice.
 All brand names are registered trademarks of their respective owners.
 Battery life may vary based on settings and usage.