**Data sheet** 

# HP PageWide Enterprise Color MFP 586 series



# Ultimate value,<sup>3</sup> fastest speeds,<sup>1</sup> and deepest security<sup>2</sup> for today's enterprise.

Ultimate value for today's enterprise—HP PageWide Technology delivers the fastest speeds<sup>1</sup> and deepest security<sup>2</sup> for the lowest total cost of ownership in its class.<sup>3</sup> Power productivity with seamless workflow features.



## HP PageWide Enterprise Color MFP 586dn



#### HP PageWide Enterprise Color MFP 586f



HP PageWide Enterprise Color Flow MFP 586z

## Professional color, breakthrough total cost

- Results you expect and lasting value—breakthrough total cost of ownership, the lowest in its class.<sup>3</sup>
- Print professional-quality color on a variety of papers—perfect for office use.
- Print up to 2.5x more pages<sup>7</sup> and replace less often than standard cartridges<sup>8</sup> with high-yield options.
- Spend less time and budget on scheduled maintenance with streamlined HP PageWide Technology.<sup>9</sup>

## Enterprise productivity at unmatched speeds<sup>1</sup>

- Wait less, print more with unmatched speeds<sup>1</sup>—up to 75 ppm—and superfast first-page printing.
- Fast two-sided scanning—up to 74 ipm—and HP EveryPage help workgroups capture data with confidence every time.
- Enter data quickly with the pull-out keyboard and transfer scans into editable text, using built-in OCR.11
- Queue jobs, embed solutions, and use multiple functions at once—scan, copy, or fax while someone is printing.

#### Unparalleled fleet security and management<sup>2</sup>

- Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown.<sup>6</sup>
- Help protect data on the MFP and in transit, using embedded security features and 256-bit encryption.<sup>6</sup>
- Help build business efficiency with HP Web Jetadmin,<sup>12</sup> plus deploy over HP and 180 third-party solutions.
- Employ policy-based, fleet-wide protection features, using optional HP JetAdvantage Security Manager.<sup>13</sup>

#### Proven technology. Outstanding energy efficiency.

- Minimize downtime with HP PageWide Technology that delivers reliable performance businesses demand.
- Print up to 16,000 color pages and up to 20,000 black-and-white pages—and go longer between replacements.<sup>7</sup>
- Conserve with HP PageWide Technology—designed to use less energy than any MFP in its class.<sup>5</sup>
- Get professional-quality color documents and the performance you expect with Original HP PageWide cartridges.
- Get professional-quality color documents and the performance you expect with Original HP PageWide cartridges.

<sup>1</sup> Comparison of Enterprise devices based on manufacturers' published specifications of fastest available color mode of color business A4 MFPs \$1000-\$3000 USD as of November 2015, excluding other HP PageWide products, and products with 1% or lower market share using market share as reported by IDC as of 03 2015. HP PageWide products, and products with 1% or lower market share as reported by IDC as of 03 2015. HP PageWide products, and products with 1% or lower market share as reported by IDC as of 03 2015. HP pageWide products features for integrity checking down to the BIOS with self-healing capabilities. A FutureSmart service pack update may be required to activate security features. Learn more at hp.com/go/printerspetal price for HP hardware and supplies, average street prices for competitive devices, cost per page based on ISO yield with continuous printing in default mode with highest-available-capacity cartridges, and long-life consumables of all color business A4 MFPs \$10.00-\$3000 USD as for November 2015, sexulding products with 1% or lower market share using market share as reported by IDC as of 03 2015. Learn more at hp.com/go/pagewideclaims and hp.com/go/pagewideclaims are accord to activate security features. Learn more at hp.com/go/pagewideclaims are accord and how the PS \$1000-\$3000 USD as of 03 2015. Learn more at hp.com/go/pagewideclaims are accord to activate security features. Learn more at hp.com/go/pagewideclaims are accord to activate security features. Learn more at hp.com/go/pagewideclaims are accord to acc

## **Product walkaround**

- 1. 100-sheet automatic document feeder (ADF) with single-pass, two-sided scanning—with HP EveryPage (586z only)
- 2. Intuitive 8-inch (20.3 cm) pivoting color touchscreen
- 3. Flatbed scanner handles up to 8.5 x 14 in (216 by 356 mm) paper
- 4. Hardware integration pocket<sup>1</sup> for solution integration
- 5. Easy-access USB port to save and print files directly
- 6. Pull-out keyboard for easy, accurate data entry (586z model only)
- 7. Front door access to ink cartridges
- 8. Built-in automatic two-sided printing
- 9. 50-sheet multipurpose tray 1
- 10.500-sheet input tray 2
- 11.300-sheet output bin
- 12. HP High-Performance Secure Hard Disk
- 13. Fax port
- 14. Slot for cable-type security lock
- 15. Hi-Speed USB 2.0 printing port
- 16. Built-in Gigabit Ethernet
- 17. USB port for connecting external USB devices



Close-up of I/O ports

# Series at a glance



## Model (product number)

## HP PageWide Enterprise Color HP PageWide Enterprise Color HP PageWide Enterprise Color

•			
	MFP 586dn	MFP 586f	Flow MFP 586z
50-sheet multipurpose tray 1; 500-sheet tray 2	$\checkmark$	$\checkmark$	$\checkmark$
HP High-Performance Secure Hard Disk			
Fax	Optional		
Scan Duplex speed (single-pass, two-sided, letter/A4)23	Up to 46/44 images per minute (ipm), black; up to 42/40 ipm, color	Up to 46/44 images per minute (ipm), black; up to 42/40 ipm, color	Up to 70/74 ipm, black; up to 70/74 ipm, color
Advanced workflow features, including pull-out keyboard	Not available	Not available	$\checkmark$
1x500-sheet paper tray	Optional	Optional	Optional
3x500-sheet paper tray and stand	Optional	Optional	Optional
Printer cabinet and stand	Optional	Optional	Optional
Wireless direct Printing4/NFC5	Optional	Optional	Optional

<sup>1</sup>Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. <sup>2</sup>Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>3</sup>Scanning requires an Internet connection to the MFP. Services may require registration. App availability varies by country, language, and agreements. For details, see hp.conn/edv wireless direct printing requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi® network of a wireless direct-capable MFP or printer printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP. For details, see hp.com/go/businessmobileprinting. <sup>5</sup>Touch-to-print capability requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)–enabled printing. For more information, see hp.com/go/businessmobileprinting

## **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

## Next Business Day with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

## Installation Service with Network Setup:

Installation services that include onsite installation and network setup of printing product.

For carepack availability visit: hp.com/go/cpc













## **Top features**

Count on exceptional value and the results enterprises need to stay ahead—HP PageWide Technology is engineered to produce professional-quality color documents for the lowest total cost of ownership in its class.<sup>3</sup>

Help elevate workgroup productivity with best-in-class print speeds,<sup>1</sup> blazing-fast first-page printing, and single-pass two-sided scanning. Built-in Gigabit Ethernet and wireless printing options help busy teams stay connected.<sup>10</sup>

Trust that this HP PageWide Enterprise MFP is secure from power-up to power-down. Count on strong protection for devices, data, and documents with deepest embedded printer security from  $HP_2^2$  and centrally manage your entire fleet with ease.

Minimize interruptions and downtime with efficient, reliable performance. Conserve resources with an MFP designed to use less energy than lasers.<sup>5</sup> HP PageWide Technology is ideal for today's busy office.

#### Accessories

B5L28A - HP Internal USB Ports B5L31A - HP Foreign Interface Harness E5K48A - HP 1GB DDR3 x32 144-Pin 800MHz SODIMM J8031A - HP Jetdirect USB Wireless Print Server J8030A - HP Jetdirect Wireless Print Server with NFC F5S62A - HP Trusted Platform Module Accessory G1W43A - HP PageWide Enterprise 500-sheet Paper Tray G1W44A - HP PageWide Enterprise Printer Cabinet and Stand G1W45A - HP PageWide Enterprise 3x500-sheet Paper Tray and Stand CC487A - HP LaserJet MFP Analog Fax Accessory 500

#### Supplies

J3M71A - HP 981A Black Original PageWide Cartridge J3M68A - HP 981A Cyan Original PageWide Cartridge J3M69A - HP 981A Magenta Original PageWide Cartridge J3M70A - HP 981A Yellow Original PageWide Cartridge L0R12A - HP 981X High Yield Black Original PageWide Cartridge L0R09A - HP 981X High Yield Cyan Original PageWide Cartridge L0R10A - HP 981X High Yield Magenta Original PageWide Cartridge L0R10A - HP 981X High Yield Yellow Original PageWide Cartridge L0R16A - HP 981X High Yield Yellow Original PageWide Cartridge L0R16A - HP 981Y Extra High Yield Black Original PageWide Cartridge L0R13A - HP 981Y Extra High Yield Cyan Original PageWide Cartridge L0R13A - HP 981Y Extra High Yield Magenta Original PageWide Cartridge L0R15A - HP 981Y Extra High Yield Yellow Original PageWide Cartridge L0R15A - HP 981Y Extra High Yield Yellow Original PageWide Cartridge B5L09A - HP 0fficeJet Ink Collection Unit W5U23A - HP 200 ADF Roller Replacement Kit

#### Services

### HP PageWide Enterprise Color MFP 586 series

U9CY4E - HP 3 year Next Business Day + DMR Color PageWide Enterprise 586 MFP Hardware Support U9CY5E - HP 4 year Next Business Day + DMR Color PageWide Enterprise 586 MFP Hardware Support U9CY6E - HP 5 year Next Business Day + DMR Color PageWide Enterprise 586 MFP Hardware Support H2872E - HP Network Installation Mid-High Color LaserJet PageWide printer Service

<sup>1</sup> Comparison of Enterprise devices based on manufacturers' published specifications of fastest available color mode of color business A4 MFPs \$1000-\$3000 USD as of November 2015, excluding other HP PageWide products, and products with 1% or lower market share using market share as reported by IDC as of 03 2015. HP PageWide speeds based on General Office mode and exclude first page. Learn more at hp.ccm/go/printerspeeds<sup>2</sup> Only HP Enterprise-class devices with FutureSmart Serier gaac budgate may be required to activite security features to the BIOS with safe! Healing capabilities, A FutureSmart Serier gaac budgate may be required to activite security features. Learn more at hp.ccm/go/printershatprotect<sup>3</sup> Total cost of 30 ownership Enterprise-class devices with FutureSmart Serier gaac budgate may be required to activite security features. Learn more at hp.ccm/go/printershatprotect<sup>3</sup> Total cost of 30 ownership Endoted by IDC as of 1000 pages, manufacturers' published specifications for page yields and energy use, Manufacturers' suggested retail price for HP hardware and supplies, average street prices for competitive devices, cost per page based on ISO yield with continuous printing in default mode with highest-available-capacity cartridges, and long-life consumables of all color business A4 printers \$5000-\$1,249 USD as of November 2015, excluding products with 1% or lower market share using market share as reported by IDC as of 03 2015. Learn more at hp.ccm/go/pagewideclams and hp.ccm/go/pagewidelams for tomers here been and hp.ccm/go/pagewidelams and hp.ccm/go/pagewidelams for there here average atvices there as reported by IDC as of 03 2015. Actual results may vary. Learn more at hp.ccm/go/pagewidelams and not printers \$1000-\$3000 USD and color laser MFPS \$1000-\$1249 USD as of November 2015, market share as reported by IDC as

## HP PageWide Enterprise Color MFP 586 series

MFP functions	HP PageWide Enterprise Color MFP 586dn(G1W39A)	HP PageWide Enterprise Color MFP 586f(G1W40A)	HP PageWide Enterprise Color Flow MFP 586z(G1W41A)		
	Print, copy, scar, MFP multitasking supported: Yes Print, copy, scan, fax; MFP multitasking supported: Yes				
rint speed		k; Up to 50 ppm color <sup>6</sup> ; <b>First Page Out Black:</b> As fast as 7.1 sec; <b>First Page O</b>			
rint resolution	Black (best): Up to 1200 x 1200 optimized dpi (when printing from a computer on HP ColorLok paper, HP Premium Inkjet Presentation Paper Matte, and HP Inkjet Brochure Paper Matte and 600 x 600 input dpi); Colour (best): Up				
	2400 x 1200 optimized dpi (when printing from a computer on HP Advanced Photo Papers and 600 x 600 input dpi) HP PageWide Technology; <b>Print Resolution Technologies:</b> HP PageWide Technology				
int Technology	4 (1 each black, cyan, magenta, yellow)				
int Cartridges Number	4 (Tetra Diazk, tydi, Triagenta, yeluw) HP PCL 6; HP PCL 5; TH Postscript Level 3 emulation, native PDF printing (v 1.7)				
andard Print Languages					
inter Smart Software Features	s Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB, HP Easy Color Printer Administrator Resource Kit for HP Universal Print Driver (UPD Active Directory Administrator Template, Add Print Model to Comments, AutoUpgradeUPD, Driver Configuration Utility, Driver Deployment Utility, HP Managed Print				
inter Management		ow, Remove Plug and Play Drivers); HP Web Jetadmin Software; Resource Kit I JetAdvantage Security Manager			
an Type / Technology		Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)			
an Resolution		Hardware: Up to 600 x 600 dpi; <b>Optical:</b> Up to 600 dpi			
an File Format	S86dn & S86f: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, S86z: Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR): Scan easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), NTF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR): Searchable PDF/A (OCR), HTML (OCR), CSV (OCR): Searchable PDF/A (OCR), HTML (OCR), CSV (OCR): Searchable PDF/A (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR): Searchable PDF/A (OCR), Searchable PDF/A (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR): Searchable PDF/A (OCR), HTML (OCR), CSV (OCR): Searchable PDF/A (OCR), HTML (OCR), CSV (OCR): Searchable PDF/A (OCR),				
an Input Modes	Front panel applications: Copy; E-mail; Fax; Save to 1	Network Folder; Save to USB; Save to Device Memory; Save to SharePoint (586	Sz only); Open Extensibility Platform (OXP) applications		
an Size	ADF: 8.5 x 14 in Maximum; 4.1 x 5 in Minimum; Flatbed: 8.5 x 14 in				
an Speed	I In to 47 ppm/74 ipm (b8uk) up to 47 ppm/74 ipm (color) u				
an speed	Up to 46 ppm/46 ipm (b8w), up to 42 ppm/42 ipm (color) <b>Duplex:</b> Up to 46 ipm (b8w), up to 42 ipm (color)				
anner Advanced Features	586dn & 586f: Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets 586z: Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets 586z: Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto core to page; Auto-tone				
t depth / Grayscale levels		24-bit / 256			
gital Sending Standard	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP;	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP;	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to		
eatures	Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	Send to LAN Fax, Send to Internet Fax; Local Address Book; SMT Dover SL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	Sharepoint, Send to FTP, Send to LAN Fax, Send to Internet Fax, OCR, Lt Address Book, SMTP over SSL; Blank Page Removal; Edge Erase; Auto Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orient Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR		
opy Speed	Black (letter): Up to 50 cpm; Color (letter): Up to 50 cpm <sup>4</sup>				
py Resolution	Black (text and Graphics): Up to 600 × 600 dpi (flatbed), 600 × 450 dpi (ADF); Color (text and Graphics): Up to 600 × 600 dpi (Flatbed), 300 × 600 dpi (ADF)				
aximum Number of Copies	Up to 9999 copies				
pier Resize	25 to 400%				
pier Settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, ID Scan, job build, edge-to-edge, job storage				
x Speed	Up to: 33.6 kbps; Letter: 3 sec per page				
x Resolution		Black (best): Up to 300 × 300 dpi (400 × 400 dpi for received faxes only); Black (standard): 204 × 98 dpi			
x Smart Software Features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule				
x Features	Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: No; Distinctive Ring Detection Supported: No; Fax Forward Supported: Yes; Fax Phone TAM Interface Supported: No; Fax Polling Supported: Yes (poll to receive only); Fax Telephone Mode Supported: No Barrier Supported: Yes; Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC Interface Supported: Yes; Rer Retrieval Capability Supported: No; Telephone Handset Supported: No				
andard Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem por				
etwork Capabilities	Via HP Jetdirect Ethernet embedded print server (star	ndard) supports: 10Base-T, 100Base-Tx , 1000Base-T; 802.3az (EEE) support	on Fast Ethernet and Gigabit Ethernet; IPsec (standard)		
ireless Capability	Optional, enabled with purchase of a hardware accessory				
obile Printing Capability		HP ePrint; Apple AirPrint™; Mopria-certified; Google Cloud Print 2.0			
emory rocessor Speed		Standard: 2048 MB; Maximum: 2816 MB ance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or gr Erase-Disk). Note: U.S. government SKU includes FIPS 140-2 validated hard di			
uty Cycle		<b>Recommended Monthly Page Volume:</b> 2000 to 7500 <sup>8</sup>	·		
aper Handling	bin; Up to 300 sheets standard; Up to 35 envelopes; Not Supported Up to 10 No; Standard Paper Trays: 2; Media Types Supported: Plain paper (light, in photo), envelopes, labels, cards, specialty papers (glossy brochure, matte (photo); 20 to 24 lb (envelope); 32 to 48 lb (brochure); 90 to 110 lb (card);	eet ADF; Up to 500 sheets standard; Up to 37 envelopes; Up to 100 cards; Up D0 cards; Up to 100 sheets labels legal. <b>Duplex Options</b> : Automatic (standara thermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, oth e brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty pap	Auto Document Feeder Capacity: Standard, 100 sheets; Envelope Feed		
		1 Fay 2: 15 to 32 to (plan paper); 33 to 6b to (photo); 20 to 24 to (envelope); )); Media Sizes Supported: Tray 1: Letter, oficio, legal, statement, executive; icio, legal, statement, executive; Media Sizes Custom: Tray 1: 3 x 5 in to 8.5 x 8.5 x 14 in	er); <b>Media Weight Supported:</b> Tray 1: 16 to 32 lb (plain paper); 33 to 80 lb i2 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3, 4 & 5: 16 to 32 ll 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 10, Monarch); Tray 2: Lette		
oduct Dimensions	statement, executive, envelopes (No. 10); Optional Tray 3, 4 & 5: Letter, ofic	I); <b>Hedia Sizes Supported:</b> Tray 1: Letter, officio, legal, statement, executive, icio, legal, statement, executive; <b>Media Sizes Custom:</b> Tray 1: 3 × 5 in to 8.5 × 8.5 × 14 in .8. in; <b>Maximum:</b> 36.7 × 29.6 × 30.9 in, (with left door open, main paper tray o	er); <b>Media Weight Supported:</b> Tray 1: 16 to 32 <sup>†</sup> D (plain paper); 33 to 80 ll 2 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3, 4 & 5: 16 to 32 l 3 × 5 in, 4 × 6 in, 5 × 7 in, 5 × 8 in, envelopes (No. 10, Monarch); Tray 2: Letter 14 in; Tray 2: 4.0 × 8.3 in to 8.5 × 11.7 in; Optional Tray 3, 4 & 5: 4.0 × 8.3 in		
	statement, executive, envelopes (No. 10); Optional Tray 3, 4 & 5: Letter, offo <b>W x D x H:</b> 20.8 × 22.2 × 20	b): Media Sizes Supported: Tray 1: Lettre, officio, legal, statement, executive, i cio, legal, statement, executive; Media Sizes Custom: Tray 1: 3 × 5 in to 8.5 × 8.5 × 14 in 8.8 in; Maximum: 36.7 × 29.6 × 30.9 in, (with left door open, main paper tray o 71.2 lb <sup>1</sup>	er); <b>Wedia Weight Supported:</b> Tray 1: 16 to 32 ib (plain paper); 33 to 80 ll 28 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3, 4 & 5: 16 to 32 l x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, ervelopes (No. 10, Monarch); Tray 2: Lett 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3, 4 & 5: 4.0 x 8.3 in pen, document feeder lifted)		
roduct Weight hat's in the box	statement, executive, envelopes (No. 10); Optional Tray 3, 4 & 5: Letter, ofic <b>W x D x H:</b> 20.8 × 22.2 × 20 HP Pagewide Enterprise Color MFP 586; HP	I); Media Sizes Supported: Tray 1: Letter, oficio, legal, statement, executive, ; io, legal, statement, executive; Media Sizes Custom: Tray 1: 3 x 5 in to 8.5 x 4 8.5 x 14 in 18 in; Maximum: 36.7 x 29.6 x 30.9 in, (with left door open, main paper tray o 71.2 lb <sup>1</sup> Setup Ink Cartridges (CMYK); Installation guide, Support flyer; Software drivers	er); Media Weight Supported: Tray 1: 16 to 32 lb (plain paper); 33 to 801 2 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3, 4 & 5: 16 to 32 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 10, Moarch); Tray 2: Lett 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3, 4 & 5: 4.0 x 8.3 ii pen, document feeder lifted) ; and documentation on CD-ROM; Power cord		
roduct Weight hat's in the box	statement, executive, envelopes (No. 10); Optional Tray 3, 4 & 5: Letter, offo <b>W x D x H:</b> 20.8 × 22.2 × 20	I); Media Sizes Supported: Tray 1: Letter, oficio, legal, statement, executive, i io, legal, statement, executive; Media Sizes Custom: Tray 1: 3 × 5 in to 8.5 × 8.5 × 14 in 8.8 in; Maximum: 36.7 × 29.6 × 30.9 in, (with left door open, main paper tray o 71.2 lb <sup>1</sup> Setup Ink Cartridges (CMYK): Installation guide, Support flyer; Software drivers ary by product, country and local legal requirements. Go to http://www.hp.coi	er); Media Weight Supported: Tray 1: 16 to 32 lb (plain paper); 33 to 801 2 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3, 4 & 5: 16 to 32 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 10, Moarch); Tray 2: Lett 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3, 4 & 5: 4.0 x 8.3 ii pen, document feeder lifted) ; and documentation on CD-ROM; Power cord		
roduct Weight Ihat's in the box Iarranty Features	statement, executive, envelopes (No. 10); Optional Tray 3, 4 & 5: Letter, ofic <b>W x D x H:</b> 20.8 x 22.2 x 20 HP Pagewide Enterprise Color MFP 586; HP One-year, next-business day, onsite warranty. Warranty and support options v	b): Media Sizes Supported: Tray 1: Letter, officio, legal, statement, executive, icio, legal, statement, executive; Media Sizes Custom: Tray 1: 3 × 5 in to 8.5 × 18.5 × 14 in 8.5 × 14 in 8.8 in; Maximum: 36.7 × 29.6 × 30.9 in, (with left door open, main paper tray o 71.2 lb <sup>1</sup> Setup Ink Cartridges (CMYK): Installation guide, Support flyer; Software drivers ray by product, country and local legal requirements. Go to http://www.hp.courgin.	er): Media Weight Supported: Tray 1: 16 to 32 lb (plain paper): 33 to 80 l 21 to 48 lb (prochure): 90 to 11 0 lb (card); Optional Tray 3, 4 & 5: 16 to 32 3): x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 10, Monarch); Tray 2: Lett 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3, 4 & 5: 4.0 x 8.3 in pen, document feeder lifted) : and documentation on CD-ROM; Power cord m/support to learn about HP award winning service and support options in		
roduct Weight hat's in the box arranty Features nergy Efficiency Compliance	statement, executive, envelopes (No. 10); Optional Tray 3, 4 & 5: Letter, offo W x D x H: 20.8 x 22.2 x 20 HP Pagewide Enterprise Color MFP 586; HP One-year, next-business day, onsite warranty. Warranty and support options v Energy Star; Blue / 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adji	b): Media Sizes Supported: Tray 1: Letter, officio, legal, statement, executive, icio, legal, statement, executive; Media Sizes Custom: Tray 1: 3 × 5 in to 8.5 × 18.5 × 14 in 8.5 × 14 in 8.8 in; Maximum: 36.7 × 29.6 × 30.9 in, (with left door open, main paper tray o 71.2 lb <sup>1</sup> Setup Ink Cartridges (CMYK): Installation guide, Support flyer; Software drivers ray by product, country and local legal requirements. Go to http://www.hp.courgin.	er); Wedia Weight Supported: Tray 1: 16 to 32 ib (plain paper); 33 to 801 is to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3, 4 & 5: 16 to 32 ib 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 10, Monarch); Tray 2: Lett 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3, 4 & 5: 4.0 x 8.3 ir pen, document feeder lifted) and documentation on CD-ROM; Power cord m/support to learn about HP award winning service and support options in Energy Star; Blue Angel; EPEAT Gold (G1W11A#201); EPEAT Silver 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreer; rotati (adjustable angle) display; Iluminated Home button (for quick return to		
roduct Weight hat's in the box arranty Features nergy Efficiency Compliance ntrol Panel isplay Description	statement, executive, envelopes (No. 10); Optional Tray 3, 4 & 5: Letter, offo W x D x H: 20.8 x 22.2 x 20 HP Pagewide Enterprise Color MFP 586; HP One-year, next-business day, onsite warranty. Warranty and support options v Energy Star; Blue <i>I</i> 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreer, rotating daily menul; USB High-speed 2.0 po	<ul> <li>(Hedia Sizes Supported: Tray 1: Lettre, oficio, legal, statement, executive; Media Sizes Custom: Tray 1: 3 × 5 in to 8.5 × 18.5 × 14 in</li> <li>(Bir, Maximum: 36.7 × 29.6 × 30.9 in, (with left door open, main paper tray o 71.2 lb<sup>1</sup></li> <li>Setup Ink Cartridges (CMYK); Installation guide, Support flyer; Software drivers ray by product, country and local legal requirements. Go to http://www.hp.corregion.</li> <li>Angel; EPEAT Silver</li> <li>stable angle) display; illuminated Home button (for quick return to the Home rt; Hardware Integration Pocket</li> <li>B.0 in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)</li> <li>PD evice Experience (DXP), HP Send Fax, HP Update, Product Registration Ass</li> </ul>	er); <b>Wedia Weight Supported</b> : Tray 1: 16 to 32 ib (plain paper); 33 to 80 ll 22 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3, 4 & 5: 16 to 32 lb 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 10, Monarch); Tray 2: Lette 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3, 4 & 5: 4.0 x 8.3 in pen, document feeder lifted) ; and documentation on CD-ROM; Power cord m/support to learn about HP award winning service and support options in <u>Brergy Star; Blue Angel; EPEAT Gold (G1W41A#201); EPEAT Silver 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotatir (adjustable angle) display; illuminated Home button (for quick return to Home menu); USB High-speed 2.0 port; Hardware Integration Pocket Extended Keyboard</u>		
oduct Weight hat's in the box arranty Features hergy Efficiency Compliance ntrol Panel splay Description oftware Included	statement, executive, envelopes (No. 10); Optional Tray 3, 4 & 5: Letter, ofic W x D x H: 20.8 x 22.2 x 20 HP Pagewide Enterprise Color MEP 586; HP One-year, next-business day, onsite warranty. Warranty and support options v Energy Star; Blue / 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adji menu); USB High-speed 2.0 po For Windows OS; HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, H 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in H	b): Media Sizes Supported: Tray 1: Letter, oficio, legal, statement, executive; (io, legal, statement, executive; Media Sizes Custom: Tray 1: 3 × 5 in to 8.5 × 8.5 × 14 in 8.6 in; Maximum: 36.7 × 29.6 × 30.9 in, (with left door open, main paper tray o 71.2 lb <sup>3</sup> Setup Ink Cartridges (CMYK); Installation guide, Support flyer; Software drivers rary by product, country and local legal requirements. Go to http://www.hp.coi region. Angel; EPEAT Silver ustable angle) display; illuminated Home button (for quick return to the Home rt; Hardware Integration Pocket 8.0 in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)	er); <b>Wedia Weight Supported</b> : Tray 1: 16 to 32 ib (plain paper); 33 to 80 ll 22 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3, 4 & 5: 16 to 32 lb 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 10, Monarch); Tray 2: Lette 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3, 4 & 5: 4.0 x 8.3 in pen, document feeder lifted) and documentation on CD-ROM; Power cord m/support to learn about HP award winning service and support options in Energy Star; Blue Angel; EPEAT Gold (G1W1A#201); EPEAT Silver 8.0 in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotatir (adjustable angle) display; illuminated Home button (for quick return to Home menu); USB High-speed 2.0 port; Hardware Integration Pocket Extended Keyboard ist, HP Connected, Online user manuals; For Mac OS; Welcome screen direc (andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Camb		
oduct Weight hat's in the box arranty Features ergy Efficiency Compliance ntrol Panel splay Description ftware included	statement, executive, envelopes (No. 10); Optional Tray 3, 4 & 5: Letter, ofic W × D × H: 20.8 × 22.2 × 20 HP Pagewide Enterprise Color MEP 586; HP One-year, next-business day, onsite warranty. Warranty and support options v Energy Star; Blue / 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adji menu); USB High-speed 2.0 po For Windows OS; HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, H 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in H additional font solutions available via th	b): Media Sizes Supported: Tray 1: Letter, oficio, legal, statement, executive; (a), legal, statement, executive; Media Sizes Custom: Tray 1: 3 × 5 in to 8.5 × 8.5 × 14 in 8.5 × 14 in 8.6 in; Maximum: 36.7 × 29.6 × 30.9 in, (with left door open, main paper tray o 71.2 lb <sup>3</sup> Setup Ink Cartridges (CMYK); Installation guide, Support flyer; Software drivers rary by product, country and local legal requirements. Go to http://www.hp.coi region. Angel; EPEAT Silver ustable angle) display; illuminated Home button (for quick return to the Home rt; Hardware Integration Pocket 8.0 in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) 4P Device Experience (DXP), HP Send Fax, HP Update, Product Registration As users to HP.com or OS application source for printer software 4P Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Font:	er); <b>Wedia Weight Supported</b> : Tray 1: 16 to 32 ib (plain paper); 33 to 80 ll 22 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3, 4 & 5: 16 to 32 lb 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 10, Monarch); Tray 2: Lette 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3, 4 & 5: 4.0 x 8.3 in pen, document feeder lifted) ; and documentation on CD-ROM; Power cord m/support to learn about HP award winning service and support options in 8.0 in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotatir (adjustable angle) display; illuminated Home button (for quick return to Home menu); USB High-speed 2.0 port; Hardware Integration Pocket Extended Keyboard ; Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Camt e at http://www.hp.com/go/laserjetfonts		
oduct Weight hat's in the box arranty Features ergy Efficiency Compliance ntrol Panel splay Description ftware Included ints and Typefaces impatible Operating Systems	statement, executive, envelopes (No. 10); Optional Tray 3, 4 & 5: Letter, offo W x D x H: 20.8 x 22.2 x 20 HP Pagewide Enterprise Color MFP 586; HP One-year, next-business day, onsite warranty. Warranty and support options v Energy Star; Blue / 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adji menu); USB High-speed 2.0 po For Windows OS; HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, H 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in h additional font solutions available via tt	b): Media Sizes Supported: Tray 1: Letter, oficio, legal, statement, executive; Media Sizes Custom: Tray 1: 3 × 5 in to 8.5 × 18,5 × 14 in 8.5 × 14 in 8.5 × 14 in 7.2 Lb <sup>1</sup> Setup Ink Cartridges (CMYK); Installation guide, Support flyer; Software drivers rary by product, country and local legal requirements. Go to http://www.hp.corregion. Got http://got http://	er); <b>Wealia Weight Supported</b> : Tray 1: 16 to 32 ib (plain paper); 31 to 80 il 21 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3, 4 & 5: 16 to 32 l 1x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, ervelopes (No. 10, Monarch); Tray 2: lett 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3, 4 & 5: 4.0 x 8.3 ir pen, document feeder lifted) and documentation on CD–ROM; Power cord m/support to learn about HP award winning service and support options in Energy Star; Blue Angel; EPEAT Gold (G1W41A#201); EPEAT Silver 8.0-in (20.3 cm) Color Graphics Display (CG0) with touchscreen; rotatir (adjustable angle) display; Illuminated Home button (for quick return to Home menu); USB High-speed 2.0 port; Hardware Integration Pocket Extended Keyboard		
oduct Weight hat's in the box arranty Features ergy Efficiency Compliance introl Panel splay Description oftware Included onts and Typefaces ompatible Operating Systems omp. Network Op. Systems	statement, executive, envelopes (No. 10); Optional Tray 3, 4 & 5: Letter, offo W x D x H: 20.8 x 22.2 x 20 HP Pagewide Enterprise Color MFP S86; HP One-year, next-business day, onsite warranty. Warranty and support options v Energy Star; Blue / 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adji menu); USB High-speed 2.0 po For Windows OS; HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, H 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in H additional font solutions available via tt	<ul> <li>b): Media Sizes Supported: Tray 1: Letter, oficio, legal, statement, executive; Media Sizes Custom: Tray 1: 3 × 5 in to 8.5 × 8.5 × 14 in</li> <li>8.8 in; Maximum: 36.7 × 29.6 × 30.9 in, (with left door open, main paper tray o 71.2 lb<sup>1</sup></li> <li>Setup Ink Cartridges (CMYK); Installation guide, Support flyer; Software drivers rary by product, country and local legal requirements. Go to http://www.hp.corregion.</li> <li>Angel; EPEAT Silver</li> <li>8.0 in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)</li> <li>PD evice Experience (DXP), IP Sent, HO Cable, Color Graphic Display (CGD)</li> <li>PD evice Experience To Software for product Registration As users to HD. Con y Color Software IP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Font: intri-party flash memory cards; HP Laser Letterprise Color MFP S86 for all operatio to the, connection or Wireless connection; 200 MB available hard disk space; (For OSI)</li> </ul>	er); <b>Wealia Weight Supported:</b> Tray 1: 16 to 32 ib (plain paper); 31 to 80 il 21 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3, 4 & 5: 16 to 32 l 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, ervelopes (No. 10, Monarch); Tray 2: Lett 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3, 4 & 5: 4.0 x 8.3 in pen, document feeder lifted) and documentation on CD-ROM; Power cord m/support to learn about HP award winning service and support options in Energy Star; Blue Angel; EPEAT Gold (G1 W41A#201); EPEAT Silver 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotatir (adjustable angle) display; Illiminated Home button ffor quick return to Home menu); USB High-speed 2.0 port; Hardware Integration Pocket Extended Keyboard sist; HP Connected, Online user manuals; For Mac OS; Welcome screen direc a http://www.hp.com/go/laserjetfonts ting systems		
oduct Weight hat's in the box arranty Features hergy Efficiency Compliance introl Panel splay Description oftware Included onts and Typefaces sompatible Operating Systems inimum System Requirements	statement, executive, envelopes (No. 10); Optional Tray 3, 4 & 5: Letter, offo W x D x H: 20.8 x 22.2 x 20 HP Pagewide Enterprise Color MFP 586; HP One-year, next-business day, onsite warranty. Warranty and support options v Energy Star; Blue / 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adji menu); USB High-speed 2.0 po For Windows 05; HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, H 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in H additional font solutions available in the C PC: CD-ROM or DVD drive, or Internet connection; dedicated USB or network of Power Supply Type: internal (Built-in) power supply; Power Requireme	<ul> <li>(Hedia Sizes Supported: Tray 1: Lettre, oficio, legal, statement, executive; Redia Sizes Custom: Tray 1: 3 × 5 in to 8.5 × 8 8.5 × 14 in 8.5 × 14 in 9.5 × 12 In 9.5 × 14 in 9.5 × 12 In 9.5 × 10 In 9.0 In</li></ul>	er); <b>Wealia Weight Supported</b> : Tray 1: 16 to 32 ib (plain paper); 33 to 801 23 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3, 4 & 5: 16 to 32 ib (sto 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3, 4 & 5: 16 to 32 ib (sto 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3, 4 & 5: 4.0 x 8.3 ir pen, document feeder lifted) and document feeder lifted) and documentation on CD-ROM; Power cord m/support to learn about HP award winning service and support options in Energy Star; Blue Angel; EPEAT Gold (G1 W41A#201); EPEAT Silver 8.0-in (20.3 cm) Color Graphics Display (CG0) with touchscreer; rotati (adjustable angle) display; Illuminated Home button (for quick return to Home menu); USB High-speed 2.0 port; Hardware Integration Pocket Extended Keyboard ist, HP Connected, Online user manuals; For Mac OS; Welcome screen direc (Andale Mono WorldType); 2 Internal (Windows Vista 8 Fonts (Calibri, Camt e at http://www.hp.com/go/laserjetfonts ting systems ing systems ing layset internal (Built-in) power supply; <b>Power Requireme</b> Input voltage: 100 to 240 VAC (+/ 10%), 50/60 Hz (+/ 3 Hz); <b>Power</b> <b>Consumption</b> : 62 watts (printing), 26.5 watts (ready), 8.5 watts (sleep);		
roduct Weight Ihat's in the box Iarranty Features nergy Efficiency Compliance ontrol Panel isplay Description oftware Included onts and Typefaces ompatible Operating Systems inimum System Requirements ower	statement, executive, envelopes (No. 10); Optional Tray 3, 4 & 5: Letter, offo W x D x H: 20.8 x 22.2 x 20 HP Pagewide Enterprise Color MFP 586; HP One-year, next-business day, onsite warranty. Warranty and support options v Energy Star; Blue / 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adji menu); USB High-speed 2.0 po For Windows 05; HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, H 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in H additional font solutions available in the C PC: CD-ROM or DVD drive, or Internet connection; dedicated USB or network of Power Supply Type: internal (Built-in) power supply; Power Requireme	<ul> <li>(i) Hedia Sizes Supported: Tray 1: Letter, ofricio, legal, statement, executive, icio, legal, lega</li></ul>	er): Media Weight Supported: Tray 1: 16 to 32 lb (plain paper): 33 to 80.0 12 to 48 lb (brochure): 90 to 110 lb (card); Optional Tray 3, 4 & 5: 16 to 32 3): x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 10, Monarch); Tray 2: Lett 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3, 4 & 5: 4.0 x 8.3 in pen, document feeder lifted) and documentation on CD-ROM; Power cord m/support to learn about HP award winning service and support options in Energy Star; Blue Angel; EPEAT Gold (G1 W41A#201); EPEAT Silver 8.0 in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotatil (adjustable angle) display; Illuminated Home button (for quick return to Home menu); USB High-speed 2.0 port; Hardware Integration Pocke Extended Keyboard ist, HP Connected, Online user manuals; For Mac OS; Welcome screen dire a http://www.hp.com/go/laserjetfonts ting systems ting systems ting systems mardware requirements see microsoft.com); MAC: Internet, USB, 1 GB avail Power Supply Type: Internal (Built-in) power supply; Power Requirem Input voltage: 100 to 240 VAC (+7 - 104); Fower		
roduct Dimensions roduct Weight //hat's in the box //arranty Features mergy Efficiency Compliance ontrol Panel isplay Description oftware Included onts and Typefaces ompatible Operating Systems Unimum System Requirements lineur isperating Environment	statement, executive, envelopes (No. 10); Optional Tray 3, 4 & 5: Letter, offo W x D x H: 20.8 x 22.2 x 20 HP Pagewide Enterprise Color MFP S86; HP One-year, next-business day, onsite warranty. Warranty and support options v Energy Star; Blue / 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adji menu); USB High-speed 2.0 po For Windows OS; HP Software Installer/Uninstaller, HP PCL 6 Printer Drive; H 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in F additional font solutions available viat <b>Power Supply Type:</b> Internal (Built-in) power supply; <b>Power Requireme</b> <b>Consumption:</b> 62 watts (printing), 24.0 watts (ready), 8.5 watts <b>Operating Temperature Range:</b> 59 to 86%; <b>Recommended Operating Tem</b> the lowest specified operating temperature, unit must slowly warm up to an a	<ul> <li>Media Sizes Supported: Tray 1: Lettre, oficio, legal, statement, executive; Media Sizes Custom: Tray 1: 3 × 5 in to 8.5 × 8.5 × 14 in</li> <li>8.5 × 14 in</li> <li>8.6 in; Maximum: 36.7 × 29.6 × 30.9 in, (with left door open, main paper tray o 71.2 lb<sup>1</sup></li> <li>Setup Ink Cartridges (CMYK); Installation guide, Support flyer; Software drivers rary by product, country and local legal requirements. Go to http://www.hp.corregion.</li> <li>Angel; EPEAT Silver</li> <li>8.0 in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)</li> <li>Postscript Level 3 emulation Eucore for printer software</li> <li>8.0 in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)</li> <li>Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonti ind-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available is to hp.com/search for. HP PageWide Enterprise Color MFP 586 for all opera is to hp.com/search for. HP PageWide Enterprise Color MFP 586 for oll opera connection or Wireless connection; 200 Ma available hard disk space; (For OS I hard drive space; OS compatible hardware; (See Apple.com) hard drive space; OS compatible hardware; (See Apple.com)</li> <li>Acoustic Power Emissions; 6.8 B(A), printing color simplex A4 at 50 ppm perature: 59 to 86%; Storage Temperature Range: Before initial setup (Non</li> </ul>	er); Nedia Weight Supported: Tray 1: 16 to 32 ib (plain paper); 33 to 80 lt 21 to 48 lb (brochure); 90 to 110 lb (card); Optional Tray 3, 4 & 5: 16 to 32 ll 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 10, Monarch); Tray 2: Lett 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3, 4 & 5: 4.0 x 8.3 in pen, document feeder lifted) and documentation on CD-ROM; Power cord m/support to learn about HP award winning service and support options in Energy Star; Blue Angel; EPEAT Gold (G1 W41A#201); EPEAT Silver 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotatin (adjustable angle) display; Illuminated Home button (for quick return to Home menu); USB High-speed 2.0 port; Hardware Integration Pocket Extended Keyboard isist, HP Connected, Online user manuals; For Mac OS; Welcome screen direc (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Camb e at http://www.hp.com/go/laserjetfonts ting systems ting systems tardware requirements see microsoft.com); MAC: Internet, USB, 1 GB availat Power Supply Type: Internal (Built-in) power supply; Power Requireme Input voltage: 100 to 240 VAC (+/- 109), S0/60 Hz (+/- 3 Hz); Power Consumption: 62 watts (printing), 26.5 watts (sclepp), watts (manual-off), 0.3 watts (auto-off/manual-on) <sup>2</sup> -Purged): -40 to 140°F; After initial setup (Purged): 32 to 140°F. If stored b do perating temperature prior to using the printer), <b>Non-Operating Humi</b>		

<sup>1</sup> With ink installed, no media in trays <sup>2</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.<sup>1</sup> Average color composite (C/MV) and black declared yields based on ISO/EC 24711 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/printerdiams. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>1</sup> Upgradeable with 160 DIMM + SD speeds measured using ISO/EC 2471 and continuous printing. Actual yields first appe or first set of 150 test pages. For details see hp.com/go/printerdiams. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>1</sup> Upgradeable with 160 DIMM + SD speeds measured using ISO/EC 2471.4 Exclude of 150 test pages. For details see hp.com/go/printerdiams. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>1</sup> Upgradeable with 161 DIMM + SD speeds measured using ISO/IEC 2471.4 Exclude device (live eran etal device (live eran etal dave) effort or an etal dave) effort or an etal dave effort or an etal dave

## Learn more at hp.com

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries

