HP Color LaserJet Enterprise MFP M577 series



Conserve energy —without sacrificing productivity. Built-in, multi-level device security helps guard your printing fleet." This color MFP with Original HP Toner cartridges with JetIntelligence produces more vibrant, professional-quality pages.

Ideal for enterprises and medium businesses that need a secure, highly productive, energy-efficient color MFP.



HP Color LaserJet Enterprise MFP M577dn



HP Color LaserJet Enterprise MFP M577f



HP Color LaserJet Enterprise Flow MFP M577c



HP Color LaserJet Enterprise Flow MFP M577z

High-speed performance meets energy efficiency

- Don't wait for documents. Print your first page in as few as 9 seconds from energy-efficient sleep mode.²
- Speed through jobs. Print two sides as quickly as one—up to 40 ipm^a—and scan both sides of the page at
 once.
- This MFP uses exceptionally low amounts of energy—thanks to its innovative design and toner technology.³
- Choose a maximum capacity of up to 2300 sheets.[®] Print up to 59 pages per minute on A5.[®]

Unparalleled fleet security and management

- Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown.¹⁰
- Protect sensitive data on the MFP and in transit, using embedded security features and 256-bit encryption.¹⁰
- Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions.11
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.¹²

More. Pages, Performance, and Protection.

- Make an impression with leading color quality from HP. Get unparalleled printing for your office needs.
- Get more pages with each Original HP Toner cartridge with JetIntelligence and high-yield cartridges. 1,13
- Help ensure the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with preinstalled toner cartridges. Replace them with cartridges featuring auto seal removal.

Stay connected with secure mobile printing options

- Enable 128-bit encrypted wireless direct printing from mobile devices—without accessing the network.5
- Print with just a touch of your NFC-enabled mobile device to this printer—no network needed.6
- Easily print from a variety of smartphones and tablets—generally no setup or apps required.⁷
- Easily access, print, and share resources with Ethernet and optional wireless networking.4

¹ More pages versus predecessor cartridges claim based on page-yield comparison of HP 507A High Yield Original LaserJet Toner Cartridges with HP 508X High Yield Original LaserJet Toner Cartridges. For more information, see hp.com/go/learnaboutsupplies² Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see hp.com/go/Ljclaims ⁴ Based on HP internal testing of top three leading competitors as of 8/2015. Actual results may vary. For details, see hp.com/go/Ljclaims ⁴ Wireless networking requires purchase of the HP Detrivet 2000m Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ⁵ Wireless clerect printing is standard on the HP Color LaserJet Enterprise MFP M5772 only. Requires purchase of optional HP Detrivet. Server. Wireless performance is dependent on physical environment and distance from the access point, and may be limited during active VPN connections. ⁵ Wireless clerect Enterprise MFP M5772 only. Requires purchase of optional HP Detrivet. Server. Wireless performance is dependent on physical environment and distance from the access point in the MP or printer. For details, see hp.com/go/businessmobileprinting. ⁶ Touch-to-print capability is standard on the HP Clor LaserJet Enterprise MFP M5772 only. Requires purchase of a potional HP Jetrivet 3000w NFC/Wireless Direct Accessory for the HP Clor LaserJet Enterprise MFP M5772 only. Paulies purchase of an optional accesse HE MFS772 MI/f. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting ⁷ Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.com/go/businessmobileprinting ⁷ Wireless performance is dependent on physical envi

Product walkaround

- 1. Intuitive 8-inch (20.3 cm) color touchscreen tilts up for easier viewing
- 2. Convenience stapler
- 3. Pull-out keyboard for easy, accurate data entry
- 4. Convenient front on/off button
- 5. Right door (access to print path)
- 6. 100-sheet multipurpose tray
- 7.550-sheet input tray 2
- 8. 100-sheet ADF with single-pass, two-sided scanning and HP EveryPage
- 9. Hardware Integration Pocket¹ (for connecting accessory and third-party devices)
- 10. Easy-access USB port to save and print files directly²
- 11. Built-in wireless direct Printing³/NFC touch-to-print⁴
- 12.250-sheet output bin
- 13. Front door (access to HP JetIntelligence Toner cartridges)
- 14. Built-in automatic two-sided printing
- 15. 1.75 GB standard memory (upgradeable to 2.5 GB) and a 1.2 GHz processor
- 16. HP High-Performance Secure Hard Disk
- 17. Fax port
- 18. HP Jetdirect Gigabit Ethernet print server
- 19. Slot for optional cable-type security lock
- 20. Hi-Speed USB 2.0 port (for connecting third-party devices)
- 21. Hi-Speed USB 2.0 printing port

HP Color LaserJet Enterprise Flow MFP M577z



Front view



Close-up of I/O ports

Series at a glance









HP Color LaserJet	HP Color LaserJet	HP Color LaserJet	HP Color LaserJet
Enterprise MFP	Enterprise MFP M577f	Enterprise Flow MFP M577c	Enterprise Flow MFP M577z
M577dn			
B5L46A	B5L47A	B5L54A	B5L48A
\checkmark	\checkmark		\checkmark
\checkmark	\checkmark	√ (Plus HP EveryPage)	√ (Plus HP EveryPage)
Optional	\checkmark		
Not available	\checkmark		
Not available	Not available		
Optional	Optional	Optional	
	Enterprise MFP M577dn B5L46A √ √ V Optional Not available Not available	Enterprise MFPEnterprise MFPM577dnM577fB5L46AB5L47A√√√√Optional√Not available√Not availableNot available	Enterprise MFPEnterprise MFPEnterprise Flow MFPM577dnM577fM577cB5L46AB5L47AB5L54A $$ $$ $$ $$ $$ $$ $$ $$ $$ Optional $$ $$ Not available $$ $$ Not availableNot available $$

¹Solutions deployed through the Hardware Integration Pocket may require additional purchase. ²An administrator must enable the easy-access USB port before use. ³Wireless direct printing is standard on the HP Color LaserJet Enterprise MFP M577z only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Color LaserJet Enterprise MFP M577dn/f/c. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the eaccess point in the MFP or printer. For details, see hp.com/go/businessmobileprinting. ⁴Touch-to-print capability is standard on the HP Color LaserJet Enterprise MFP M577z only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Color LaserJet Enterprise MFP M577dn/f/c. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Same Day Onsite – 4 hour 9x5 and 13x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

Next Business Day with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Installation Service with Network Setup:

Installation services that include onsite installation and network setup of printing product.

For carepack availability visit: hp.com/go/cpc









Top features

This efficient MFP is designed to conserve energy without sacrificing productivity—so users can speed through tasks and move business forward. It also uses exceptionally low amounts of energy—thanks to its innovative design and toner technology.³

Trust your MFP is secure from power-up to power-down. Get strong protection for devices, data, and documents with embedded and optional security features while centrally managing your entire fleet.

Bring out the best in your MFP. Print more high-quality pages than ever before,¹ using specially designed Original HP Toner cartridges with JetIntelligence. Count on the authentic HP quality you paid for—something the competition can't match.

Enable secure wireless printing in the office—with or without network access⁵—and keep users connected with Ethernet and optional wireless networking.⁴ Print with just a touch from mobile devices.⁶

Accessories

B5L34A - HP Color LaserJet 550-sheet Media Tray
B5L51A - HP Color LaserJet Printer Cabinet
J8030A - HP Jetdirect 3000w NFC/Wireless Accessory
J8031A - HP Jetdirect 2900nw Print Server
B5L31A - HP Foreign Interface Harness
B5L53A - HP LaserJet MFP Analog Fax Accessory 600
CZ208A - HP Common Card Reader (with HIP2 Adapter)
E5K48A - 1GB DDR3 DIMM
B5L28A - HP Internal USB Ports
F5S62A - HP Trusted Platform Module Accessory

Supplies

CF360A - HP 508A Black LaserJet Toner Cartridge (~6000 ISO yield) CF360X - HP 508X Black LaserJet Toner Cartridge (~12,500 ISO yield) CF361A - HP 508A Cyan LaserJet Toner Cartridge (~5000 ISO yield) CF361X - HP 508X Cyan LaserJet Toner Cartridge (~5000 ISO yield) CF362A - HP 508A Yellow LaserJet Toner Cartridge (~5000 ISO yield) CF362X - HP 508X Yellow LaserJet Toner Cartridge (~5000 ISO yield) CF363A - HP 508A Magenta LaserJet Toner Cartridge (~9500 ISO yield) CF363X - HP 508X Magenta LaserJet Toner Cartridge (~9500 ISO yield) CF363X - HP 508X Magenta LaserJet Toner Cartridge (~9500 ISO yield) SL35A - HP LaserJet 110v Fuser Kit B5L36A - HP LaserJet 220v Fuser Kit B5L37A - HP Color LaserJet Toner Collection Unit B5L52A - HP 200 ADF Roller Replacement Kit Q7432A - HP Staple Cartridge Pack

Services

U8TH7E - HP 3 year Next Business Day + Defective Media Retention Color LaserJet M577 MultiFunction Hardware Support

U8TH8E - HP 4 year Next Business Day + Defective Media Retention Color LaserJet M577 MultiFunction Hardware Support

U8TH9E - HP 5 year Next Business Day + Defective Media Retention Color LaserJet M577 MultiFunction Hardware Support

U8TJ0E - HP 3 year 4 hour 9x5 + Defective Media Retention Color LaserJet M577 MultiFunction Hardware Support

U2010E - HP Network Installation mid-range LaserJet Multifunction printer Service

¹ More pages versus predecessor cartridges claim based on page-yield comparison of HP 507A High Yield Original Laserlet Toner Cartridges with HP 508X High Yield Original Laserlet Toner Cartridges. For more information, see hp.com/go/leamaboutsupplies ³ Based on HP testing using the ENERGY 5TAR[®] program's Typical Electricity Consumption (TEC) method or as reported in energystar, gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details pen hp.com/go/leamaboutsupplies ³ Based on HP testing using the ENERGY 5TAR[®] program's Typical Electricity Consumption (TEC) method or as reported in energystar, gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details pen hp.com/go/leamaboutsupplies ³ Based requires purchase of the PH editeret. 2900m Print Server: Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.⁵ Wireless performance is dependent on physical environment and distance from the testing using the EVERGY to the WiF network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.com/go/businessmobileprinting. ⁶ Touch-to-print capability is standard on the HP Color Laser Jet Enterprise WFP M5772 n/J/c. Mobile device nust support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.

HP Color LaserJet Enterprise MFP M577 series

Technical Specifications	HP Color LaserJet Enterprise MFP M577dn(B5L46A)	HP Color LaserJet Enterprise MFP M577f(B5L47A)	HP Color LaserJet Enterprise Flow MFP M577c(B5L54A) HP Color LaserJet Enterprise Flow MFP M577z(B5L48		
10 functions	Print, copy, scan; AlO multitasking supported: Yes		Print, copy, scan, fax; AlO multitasking supported: Yes		
rint speed	Letter: Up to 40 ppm black; Up to 40 ppm color ¹¹ ; First Page Out Black: As fast as 5.5 sec M577dn &M577fb, (M577c & M577z); First Page Out Color: As fast as 6.8 sec ²²				
rint resolution	Black (best): HP ImageREt 3600; Colour (best): HP ImageREt 3600				
rint Technology	Laser; Print Resolution Technologies: HP ImageREt 3600, Pantone Calibrated. Fine lines:1200x1200				
tandard Print Languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v1.7)				
rinter Smart Software Features					
rinter Management	UPD Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Web JetAdmin Software; HP Proxy Agent Software; HP Easy Color; HP JetAdvantage Security Manage				
can Type / Technology	Type: Flatbed, ADF (two-sided, single-pass); Technology: Contact Image Sensor (CIS) Hardware: Up to 600 x 600 dpi; Optical: Up to 600 x 600 dpi				
can Resolution					
ican rite rollilat	M77da M977f: DDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (0CR), Unicode TEXT (0CR), Unicode TEXT (0CR), CPIC, JPEG, TIFF, MTIFF, XPS, PDF/A. XPS, PDF/A, TEXT (0CR), Unicode TEXT (0CR), Unicode TEXT (0CR), Searchable PDF/A (0CR), Searchable PDF/A (0CR), Print from easy access USB: PDF, PS, Print Ready files (prn, pcl, cht)				
ican Input Modes	Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (0XP) applications	Front panel applications: Copy, E-mail, Fax, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (OXP) applications	Front panel applications: Copy, E-mail, Fax, Save to Network Folder, Save to USB, Save to Device Memory, Save to SharePoint, Open Extensibility Platform (OXP) applications		
can Size	ADF: 8.5 x 14 in Maximum; 4.1 x 5 in Minimum; Flatbed: 8.5 x 14 in				
can Speed	Up to 45 ppm/45 ipm (b&w), up to 40 ppm/40 ipm (col	or) ²³ ; Duplex: Up to 45 ipm (b&w), up to 40 ipm (color)	Up to 48 ppm/68 ipm (b&w), up to 48 ppm/60 ipm (color) ²³ ; Duplex: Up to 68 ipm (b&w), up to 60 ipm (color)		
canner Advanced Features		tput quality setting; Selectable scan resolution 75 to 600 ation; Blank page suppression; HP Quick Sets	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 d Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Autor corp to page; Auto-tone		
it depth / Grayscale levels		24-bi	/ 256		
Digital Sending Standard Features	Scan to E-mail; Save-to-Network Folder; Save-to-USB c (M577f only); Local Address Book; SMTP over SSL; Blai Crop To Content; Compact PDF		Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; to Internet Fax; OCR: Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; A Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop Page; OCR		
Copy Speed		Black (letter): Up to 40 cpm;			
opy Resolution	Black (text and Gr	aphics): Up to 600 × 600 dpi (flatbed), 600 × 450 dpi (ADF	; Color (text and Graphics): Up to 600 × 600 dpi (flatbed), 300 × 600 dpi (ADF)		
opier Settings	Two-sided copying; Scalability; Image adjustments (darki		Z-ordering; Content orientation; Collation; Booklet; Job build; Edge-to-edge; Job storage; ID Copy; Book Copy; A-to- t media sizes)		
ax Speed			Up to: 33.6 kbps; Letter: 3 sec per page ¹⁸		
ax Resolution		Black (best): Up to 300 × 300 dpi (400 × 400 dpi for received faxes only); Black (standard): 204 × 98 dpi			
ax Smart Software Features		Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule			
ax Features	Auto Fax Reduction, Auto-Redialing, Fax Forwarding, Fax Polling (receive), Junk Barrier, Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destination PC Interface				
tandard Connectivity			100/1000Base-TX network; Hardware Integration Pocket; Fax (M577f, M577c & M577z only)		
etwork Capabilities		ded print server (standard) supports: 10Base-T, 100Base-T, 100Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard)			
letwork Ready /ireless Capability	Standard (built-in Gigbit Ethernet)	Standard (built-in Gigabit Ethernet) Standard (built-in Gigabit Ethernet), Wi-Fi 802.1 Optional, enabled with purchase of hardware accessory. Yes, embedded NFC/HP Wireless Direct			
Aobile Printing Capability	Opposing, nadled with particles of nativale accessory. Here exists and the second in Crime wite accessory. HP ePrint; Apple AirPrint™; Mopria-certified; Google Cloud Print 2.0 ¹⁴ HP ePrint; Apple AirPrint™; Mopria-certified; Google Cloud Print 2.0 ¹⁴				
Memory		Standard: 1,25 GB (printer), 500 MB (scanner	; Maximum: 2.0 GB (printer), 500 MB (scanner)		
Processor Speed	1.2 GHz / Hard disk: Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB, AES 256 hardware encryption or greaters, Secure rase capabilities (Secure File Erase-Temporary Job Files, Secure Fiase-Job Da				
•	Secure ATA Erase-Disk); U.S. Government: Standard, FIPS 140-2 validated hard disk, minimum 500 GB				
Duty Cycle			nended Monthly Page Volume: 2000 to 7500 ¹⁰		
Paper Handling	Automatic (standard) Auto Document Feeder Capacity: St glossy, extra heavy, extra heavy glossy, cardstock, card gl 28 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain paper); 28 to 5 x 7, 5 x 8, postcard (JIS), double postcard (JIS), AS x 13,	andard, 100 sheets; Envelope Feeder: No; Standard Pap ossy), color transparency, labels, letterhead, envelope, pre 58 lb (glossy paper); Optional Trays 3+: 16 to 58 lb (plain p envelope (commercial No. 9, No. 10, Monarch); Custom: 3 ×	pes labels legal; Output Capacities : 250-sheet output bin; Up to 250 sheets standard labels legal; Duplex Options er Trays: 2; Media Types Supported : Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, hea minted, prepunched, colored, rough, opaque film, user-defined; Media Weight Supported : Tray 1: 16 to 58 b (plain aper); 28 to 58 b (glossy paper); Media Sizes Supported : Tray 1: letter, legal, oficio, executive, statement, 4 x 6, 3 x 5 to 8.5 x 14 in; Tray 2: letter, executive, statement, 4 x 6, 5 x 7, 5 x 8, double postcard (JIS); custom: 4.0 x 5.8 to 8 C ustom : Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.0 x 5.8 to 8.5 x 11.69 in; Optional Trays 3*: 4.0 x 5.8 to 8.5 x 14 in		
Product Dimensions		W x D x H: 18.98 x 19.84 x 22.95 in	; Maximum: 27.5 x 19.84 x 22.95 in		
Product Weight	84 lb ³	84.5 lb ³	85 lb ³		
What's in the box	Printer; Four preinstalled HP LaserJet toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner collection unit; In-box documentation; Software CD; Power Cord; fax cable (M577f & M577z only) ¹¹				
Narranty Features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements.				
Energy Efficiency Compliance Control Panel	8.0-in (20.3 cm) color touchscreen; adjustable angle displa to the Hoi	, y with gesturing; illuminated Home button (for quick return	Blue Angel; EPEAT® Silver (8.0-in (20.3 cm) color touchscreen; adjustable angle display with gesturing; illuminated Home button (for quick retu to the Home menu) and integrated keyboard		
Display Description	to the not		uchscreen		
oftware included	For Windows OS; HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Send Fax, HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Mac Welcome Screen, (Directs users to HPx.com or OS App Soure for LaserJet Software)				
Fonts and Typefaces	Wetcome Screen, Luferst Users to HP. com or US App Soure for Laserset Source and Laser				
ompatible Operating Systems	Go to hp.com/search for Hp LaserJet Enterprise MFP M527 Printer for all operating systems				
ompatible Network Operating					
ystems	Go to hp.com/search for Hp Laser Jet Enterprise MFP M527 Printer for all operating systems				
linimum System Requirements	for Tablets), Windows 10 all 32- & 64-bit editions (excludir 64-bit editions (Home Basic, Premium, Professional, etc. CD-ROM or DVD drive, or Internet connection; Dedicated I	g RT OS for Tablets); Windows OS compatible with Univers ,Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32 JSB or network connection or Wireless connection; 200 ME	um, Professional, etc.), Windows 7 all 32–8 64-bit editions, Windows 8/81 all 32–8 64-bit editions (excluding RT 0 al Print Driver (From HP.com); Windows XP SP3 32–8 64-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32– 8 64-bit editions (excluding RT 05 for Tablets), Windows 10 all 32–8 64-bit editions (excluding RT 05 for Tablets), available hard disk space; 05 compatible hardware (For 05 hardware requirements see http://www.microsoft.com); ricks, 05 X 10.10 Yosemite; Internet; USB; 1 GB HD; 05 compatible hardware (For 05 hardware requirements see apple.com)		
ower			nput voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with # Option code identifier); , 0.08 watts (Auto-Off/Manual On), 0.49 watts (Auto-Off/Auto-On/Wake on LAN) ⁴		
lcoustics	Acoustic Power Emissions: 6.5 B(A) (printing at 38 ppm); Acoustic Pressure Emissions: 51 dB(A) (printing at 38 ppm) ^{16,17}				
)perating Environment	Operating Temperature Range: 59 to 81°F; Recommended Operating Temperature: 62 to 77°F; Storage Temperature Range: 32 to 95°F; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80%				
Security Management	RH; Recommended Humidity Operating Range: 30 to 70% RH Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, a Kerberos authentication, Supports WIA-10 IPsec configuration Plug-in, BO2.1X authentication (EAP-PEAP, EAP-TLS), SNMPO3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140- validated cryptographic libraries), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, hardware integration pocket for security solutions, optional Trusted Platform Module; Securit management: Compatible with optional HP zetAdvantage Security Manager				

¹ Tore carridge yields stablished using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of color pages printed, and other factors.² Without Tray 1 or Legal extension extended ³ With printer carridges ⁴ Power requirements are based on the contryl/region where the printer is sold. Do not convert operating voltages. This will damage the printer and volt the product warranty. ³ Typical Electricity Consumption (TEO) ratios region to mages printed, and other factors for the stable transport or composite (TMP) and black defined are printer and voltages. This will damage the printer and volt the product warranty. ³ Typical Electricity Consumption (TEO) ratios region to mages printed and other factors. The voltage factor composite (TMP) and black defined are printer and voltages. This was printed and other factors. The Voltage factor region to the printer is sold. To learn more, visit the comfgo/SareSupply * Max memory is with 1 GB DMM installed. The maximum the Firmware can use is 2 GB so 250 MB is unused in this configuration. ⁹ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to ther if Learned view relative ended warranty per optimum device performance. The domands of connected individuals or groups.³ ¹⁴ PF recommends that the number of pages per month of imaged output. This value provides a comparison of product robustness in relation to their if Learned view life over an extended warranty per optimum device performance. The domands or groups.³ ¹⁴ PF recommends that the number of scanced pages per month of imaged output. This value provides a comparison of product robustness in page size on offur and scance were produced warranty per optimum device performance. The domands of the scance device performance with the stated range for optimum device performance. ³ Device the scance device performance with the stated range for optimum device perf

Learn more at hp.com

© Copyright 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. 4AA6-1663ENUC, October 2015

