

LaserJet Enterprise MFP M725 series M725dn • M725f • M725z • M725z+

Enable large-volume printing on a wide range of paper sizes—up to Ledger/A3—with a 4,600-sheet maximum input capacity.² Preview and edit scanning jobs. Centrally manage printing policies. Safeguard sensitive business information.

Print speed:12 Up to 40 ppm black (letter)

Print resolution: Up to 1200 x 1200 dpi black (best)

Scan resolution: Up to 600 x 600 dpi hardware, Up to 600 dpi Optical

Standard connectivity: 2 Hi-Speed USB 2.0 Host, 1 Hi-Speed USB 2.0 Device, 1 Gigabit Ethernet 10/100/1000T network, 1 Foreign Interface, 1 Hardware Integration Pocket, 2 Internal USB Host

Duplex print options: Automatic (standard)

Mobile printing capability: HP ePrint, Apple AirPrint™



(HP LaserJet Enterprise MFP M725dn shown)



HP LaserJet Enterprise
MFP M725f

Expand your options with sharp Ledger/A3 printing

- Empower your teams to do more—print, scan, copy, and fax¹ on paper sizes up to Ledger/A3—from a desktop-sized MFP.
- Stay focused on work—paper capacity up to 4,600 sheets and high-capacity cartridges limit interruptions.^{2,4}
- Get impressive document quality with near edge-to-edge printing and a convenient, built-in stapler.⁵
- Print what you need, even on the go—from your smartphone or tablet—using HP ePrint³ or Apple AirPrint™.⁶

Quicken your business pace

- Streamline tasks—print, scan, copy, and fax¹ projects directly at the MFP's large color touchscreen.
- Save time by launching one-touch workflows with HP Quick Sets.
- Get just the results you need—using touchscreen controls to preview, edit, and reorder scans at the device.
- Easily send scanned files to a fax, folder, email, or USB.
 Print right from a memory device via the USB port.

Manage and protect your fleet for the long run

- Simplify fleet management using world-class tools such as HP Web Jetadmin,⁷ and reliably safeguard devices.
- Safeguard data—at rest or in transit—with an encrypted hard drive, user authentication, and security features.
- Add security tools—such as card and badge readers via the hardware integration pocket.⁸
- Extend the capabilities of workteam print environments, using a rich array of easy-to-integrate solutions.

Help save energy and reduce environmental impact

- Reduce energy use with HP Auto-On/Auto-Off Technology,⁹ and conserve power with Instant-on Technology.¹⁰
- Conserve resources and save paper—use automatic two-sided printing.
- Easily recycle Original HP LaserJet toner cartridges through HP Planet Partners.¹¹

HP EcoSolutions

- Reduce energy use with Instant-on Technology.¹
- Reduce paper use by up to 50%, using automatic two-sided printing.
- Reduce waste—scan, store, and distribute documents digitally.

Join HP in more sustainable printing hp.com/ecosolutions



¹ Compared with products that use traditional fusing



HP LaserJet Enterprise

MFP M725z

HP LaserJet Enterprise MFP M725z+

¹ Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise MFP M725dn. ² Maximum paper capacity of 4,600 sheets requires the purchase of optional paper tray accessories. ³ Requires an Internet connection to HP web-enabled printer and HP ePrint accounts registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see hpconnected.com). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades. ⁴ High-capacity cartridges are optional for the HP LaserJet Enterprise 200 MFP Series M725. ⁵ In-line stapler is not available on the HP LaserJet Enterprise MFP M725dn or M725f. ⁵ Supports the following devices running iOS 4.2 or later: iPad⁶, iPad⁶ 2, iPhone⁶ (3G Sor later), iPod touch⁶ (3rd generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple⁶ inc., registered in the U.S. and other countries. ⁷ HP Web Jetadmin is free and can be downloaded at hp.com/go/webjetadmin. ⁶ Solutions deployed throad begloyed throad be

HP LaserJet Enterprise MFP M725 series

- 1 100-sheet automatic document feeder
- 2 Intuitive 8-inch pivoting color touchscreen control panel with FutureSmart firmware and scan preview
- 3 Hardware integration pocket (HIP) for solution integration
- 4 Easy-access USB port to save and print files directly
- 5 In-line stapler with 500-sheet output bin
- 6 Built-in automatic two-sided printing
- 7 Two 250-sheet input trays, one supporting up to legal and one supporting up to ledger/A3
- 8 3,500-sheet high-capacity feeder and stand for a 4,100-sheet total input capacity
- 9 250-sheet output bin
- 10 Side door allows convenient access to the all-in-one HP print cartridge
- 11 100-sheet multipurpose tray 1 supports a wide variety of paper sizes and types
- 12 800 MHz processor, 1 GB standard memory
- 13 Two internal USB Host ports (for connecting third-party devices)
- 14 HP High-Performance Secure Hard Disk
- 15 Fax port
- 16 Foreign Interface port
- 17 HP Jetdirect Gigabit Ethernet print server
- 18 Hi-Speed USB 2.0 device port
- 19 Hi-Speed USB 2.0 Host port

HP LaserJet Enterprise MFP M725z+ printer shown



Series at a glance









	M725dn MFP	M725f MFP	M725z MFP	M725z+ MFP
Part number	CF066A	CF067A	CF068A	CF069A
Gigabit Ethernet networking	✓	✓	✓	✓
Automatic two-sided printing	✓	✓	✓	✓
100-sheet multipurpose tray 1	✓	✓	✓	✓
2 x 250-sheet trays 2 and 3	✓	✓	✓	1
500-sheet tray¹	Optional	✓	Not available	Optional
500-sheet feeder with cabinet and stand¹	Optional	✓	Not available	Not available
3 x 500-sheet feeder and stand¹	Optional	Not available	✓	Not available
3,500-sheet high-capacity feeder and stand ¹	Optional	Not available	Not available	✓
500-sheet in-line stapler	Not available	Not available	✓	✓
HP High-Performance Secure Hard Disk	✓	✓	✓	✓
Fax	Optional	✓	✓	✓
ENERGY STAR® qualified	✓	✓	✓	/

¹ Up to 6 input trays are supported on the M725dn and M725z+ models, including the multipurpose tray and the standard 2 x 250-sheet trays. (The 3 x 500-sheet trays and stand counts for 3 trays; the 3,500-sheet HCI feeder and stand counts for 2 trays.) The 500-sheet tray is not stackable.

Top features

Get precise document finishing, one-touch workflows, and many scan-to options on a versatile Ledger/A3 MFP. Do more—with document sizes up to Ledger/A3, and high-capacity cartridges³ and paper trays. Print nearly to the page's edge, and even staple (Only on Z and Z+ models). Copy, scan, and fax¹—and print from smartphones and tablets from virtually anywhere with HP ePrint.²

Set a swift pace—use this powerful MFP to keep your work moving. Save time and make your job easier, using HP Quick Sets. Preview and control jobs on the 8-inch color touchscreen. Scan to multiple locations, and print via an easy-access USB port.

Monitor your devices with industry-leading tools, including HP Web Jetadmin.⁴ Help protect data both in transit and at rest. Enhance security with PIN printing. Add safeguards via the hardware integration pocket. Integrate tomorrow's solutions with ease.

Help conserve resources and meet corporate environmental goals. HP Auto-On/Auto-Off Technology helps reduce energy use. Easily manage printing policies with HP EcoSMART Fleet. Save paper, using automatic two-sided printing.

Get the most out of your printer with HP accessories, supplies, and services.

HP services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hr Onsite Support: Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support: Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service: Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service: Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices

Printers

HP LaserJet Enterprise 700 MFP M725dn	CF066A
HP LaserJet Enterprise 700 MFP M725f	CF067A
HP LaserJet Enterprise 700 MFP M725z	CF068A
HP LaserJet Enterprise 700 MFP M725z+	CF069A

Toner Cartridges

HP 14A Black LaserJet Toner Cartridge (10,000 pages)	CF214A
HP 14X Black LaserJet Toner Cartridge (17,500 pages)	CF214X

Accessories

500-sheet feeder and tray assembly	CF239A
1x500-sheet feeder, cabinet, and stand	CF243A
3x500-sheet feeder and stand	CF242A
3,500-sheet HCl and stand	CF245A
110v Maintenance/Fuser Kit	CF249A
220v Maintenance/Fuser Kit	CF254A
HP 200-pin DDR2 512MBx64 DIMM	CF306A
HP staple cartridge refill	C8091A
HP LaserJet MFP Analog Fax Accessory 500	CC487A
ADF Roller kit	L2718A

HP Care Pack	
HP 3 year Next business day + Defective Media retention LaserJet M72	5 U7A14E
Multifunction printer Support	
HP 4 year Next business day + Defective Media retention LaserJet M72	5 U7A15E
Multifunction printer Support	
HP 5 year Next business day + Defective Media retention LaserJet M72	5 U7A16E
Multifunction printer Support	
HP 3 year 4 hour 9x5 LaserJet M725 Multifunction printer Hardware Su	• •
HP 4 year 4 hour 9x5 LaserJet M725 Multifunction printer Hardware Su	• •
HP 5 year 4 hour 9x5 LaserJet M725 Multifunction printer Hardware Su	
HP 1 year Post Warranty Next business day + Defective Media retention	n U7Y76PE
Laserjet M725 Multifunction printer Support	
HP 1 year Post Warranty 4 hour 9x5 Laserjet M725 Multifunction printe	er U7Y74PE

To know what HP Care Pack services exist for your product, please visit Care Pack Central at hp.com/go/cpc

Paper

Support

hp.com/go/paper

Software

HP Web Jetadmin: hp.com/go/wja
HP Universal Print Driver: hp.com/go/upd

¹ Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise MFP M725dn. ² Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see hpconnected.com). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades. ³ High-capacity cartridges are optional for the HP LaserJet Enterprise 700 MFP Series M725. ⁴ HP Web Jetadmin is free and can be downloaded at hp.com/go/webjetadmin. ⁵ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade. ⁴ HP EcoSMART Fleet must be purchased separately.

HP LaserJet Enterprise MFP M725 series

	HP LaserJet Enterprise 700 MFP M725dn (CF066A)	HP LaserJet Enterprise 700 MFP M725f (CF067A)	HP LaserJet Enterprise 700 MFP M725z (CF068A)	HP LaserJet Enterprise 700 MFP M725z+ (CF069A)		
AIO functions	Print, copy, scan		Print, copy, scan, fax			
Print		0	(-+			
Duplex print options Print speed ¹			: (standard) irst page out²: As fast as 10 sec			
Print speed		• • • • • • • • • • • • • • • • • • • •	rst page out": As last as 10 sec			
Print resolution	Rlack (hest): Un to 12		200 dpi quality), 600 x 600 dpi with HP Resolution Er	hancement technology		
Printer Smart Software	· ·	HP ePrint, Apple AirPrint, Open Extensibility Platform, FutureSmart Firmware, HP Auto-On/Auto-Off technology, Easy Access USB, Image Preview				
features	HP ePrint, Apple Airl	Print, Open Extensibility Platform, FutureSmart Firn	nware, HP Auto-On/Auto-Off technology, Easy Acces	s USB, Image Preview		
Mobile printing capability		HP ePrint; A	pple AirPrint			
Standard print languages		HP PCL 6; HP PCL 5e; HP posts	cript level 3 emulation; PDF 1.4			
can						
Scan type/technology			Charge Coupled Device (CCD)			
Scan speed ³ Scan resolution			nd white), up to 30 ppm (color)			
Scan file format			O dpi; Optical: Up to 600 dpi MTIFF. XPS. PDF/A			
Scan input modes	Conv. scan to a		device memory, fax, Open Extensibility Platform (OX	(P) annlications		
Scan size maximum	сору, зсин со		17 in (297 x 420 mm)	п у аррасалонз		
Scanner advanced features	Optimize text/picture; Image adjustments; .	lob build; Output quality setting; Selectable scan re	solution 75 to 600 dpi; Auto detect color; Edge erase HP Quick Sets	; Auto tone; Auto job notification; Blank page		
Bit depth/Grayscale levels			it/256			
ору	1	240				
Copy speed ⁴		Up to 40 cpm	(Black, letter)			
Copy resolution			phics): 600 x 600 dpi			
Max number of copies		Up to 9,9	999 copies			
Copier reduce/enlarge		25 to	400%			
Copier settings	Sides; Collate; Paper Selection; Reduce	/Enlarge; Image Adjustment; Content Orientation; P	ages per sheet; Booklet format; Edge to Edge; Optin	nize Text/Picture; Original Size; Job Build		
Digital Sending Standard	Scan to e-mail: Save-	to-Network Folder: Save-to-USB drive: Send to FTP:	Send to LAN Fax; Send to Internet Fax; Local Address	s Book: SMTP over SSL		
features						
Transmission speed ^s	Not Applicable		Up to 33.6 kbps; 3 sec per page			
rransmission speed	Not Applicable	Plack (bact): Up to 200 v 200 dpi (400 v 400		98 dpi; Black and White (fine): 204 x 196 dpi,		
Fax resolution	Not Applicable					
Fax smart software	Not Applicable	256 levels of gray; Bl	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f scale-to-fit; fax address book; LAN/Internet fax; fax	or received faxes only)		
Fax smart software features	Not Applicable	256 levels of gray; Bl	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f scale-to-fit; fax address book; LAN/Internet fax; fa	or received faxes only)		
Fax smart software		256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding: Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Suppo	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi 1 scale-to-fit; fax address book; LAN/Internet fax; fa: Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive orted: No; Fax Polling Supported: Yes (poll to receiv	or received faxes only) x number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa		
Fax smart software features Fax memory	Not Applicable Not Applicable	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding: Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Suppo	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi (scale-to-fit; fax address book; LAN/Internet fax; fa: Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive (or received faxes only) x number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfe		
Fax smart software features Fax memory Fax features	Not Applicable Not Applicable Not Applicable	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding. Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Ti	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi 1 scale-to-fit; fax address book; LAN/Internet fax; fa: Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive orted: No; Fax Polling Supported: Yes (poll to receiv	or received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa Ande Supported: No		
Fax smart software features Fax memory Fax features Connectivity Standard connectivity	Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding. Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supp Supported: Yes; Ti peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/10	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f scale-to-fit; fax address book; LAN/Internet fax; fa: Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive rted: No; Fax Polling Supported: Yes (poll to receivelephone Handset Supported: No; Fax Telephone N	or received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa Ande Supported: No ration Pocket; 2 Internal USB Host		
Fax smart software features Fax memory Fax features Connectivity Standard connectivity Network capabilities	Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding. Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tay Phone TAM Interface Supported: Yes;	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f scale-to-fit; fax address book; LAN/Internet fax; fax Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive l orted: No; Fax Polling Supported: Yes (poll to receiv elephone Handset Supported: No; Fax Telephone N OOT network; 1 Foreign Interface; 1 Hardware Integr Base-T; 802.3ac (EEE) support on Fast Ethernet and Ig (optional)	or received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa Ande Supported: No ration Pocket; 2 Internal USB Host		
Fax smart software features Fax memory Fax features connectivity Standard connectivity Network capabilities Wireless capability	Not Applicable Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding. Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tay Phone TAM Interface Supported: Yes;	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f scale-to-fit; fax address book; LAN/Internet fax; fa: Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive l rted: No; Fax Polling Supported: Yes (polt or eceiv elephone Handset Supported: No; Fax Telephone N 00T network; 1 Foreign Interface; 1 Hardware Integr Basse-T; 802.3az (EEE) support on Fast Ethernet and Ig (optional) hase of a hardware accessory	or received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa Ande Supported: No ration Pocket; 2 Internal USB Host		
Fax smart software features Fax memory Fax features connectivity Standard connectivity Network capabilities Wireless capability Modem	Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding. Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tax Phone TAM Interface Supported: Yes; To peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/10 rr (standard) supports: 10Base-T, 100Base-Tx, 1000 networkir Optional, enabled with purc	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f scale-to-fit; fax address book; LAN/internet fax; fa: Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive le reted: No; Fax Polling Supported: Yes (poll to receive elephone Handset Supported: No; Fax Telephone N 00T network; 1 Foreign Interface; 1 Hardware Integr Base-T; 802.3az (EEE) support on Fast Ethernet and 1g (optional) hase of a hardware accessory 33.6 kbps	or received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa Mode Supported: No ation Pocket; 2 Internal USB Host		
Fax smart software features Fax memory Fax features Connectivity Standard connectivity Network capabilities Wireless capability Modem Memory	Not Applicable Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding: Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tay Phone TAM Interface Supported: Yes; Topeed USB 2.0 Device; 1 Gigabit Ethernet 10/100/10 rr (standard) supports: 10Base-T, 100Base-Tx, 1000 networkir Optional, enabled with purc	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f scale-to-fit; fax address book; LAN/Internet fax; fax Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive le reted: No; Fax Polling Supported: Yes (poll to receive elephone Handset Supported: No; Fax Telephone B 00T network; 1 Foreign Interface; 1 Hardware Integr Base-T; 802.3az (EEE) support on Fast Ethernet and Ig (optional) hase of a hardware accessory 33.6 kbps	or received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa Ande Supported: No ration Pocket; 2 Internal USB Host		
Fax smart software features Fax memory Fax features Connectivity Standard connectivity Network capabilities Wireless capability Modern Memory Processor speed	Not Applicable Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding. Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tay Phone TAM Interface Supported: Yes; To gued USB 2.0 Device; 1 Gigabit Ethernet 10/100/10 r (standard) supports: 10Base-T, 100Base-Tx, 1000 networkir Optional, enabled with purc	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f scale-to-fit; fax address book; LAN/Internet fax; fax Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive lorted: No; Fax Polling Supported: Yes (poll to receivelephone Handset Supported: No; Fax Telephone NooT network; 1 Foreign Interface; 1 Hardware Integribase-T; 802.3az (EEE) support on Fast Ethernet and up (optional) hase of a hardware accessory 33.6 kbps GB	or received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa Ande Supported: No ration Pocket; 2 Internal USB Host		
Fax smart software features Fax memory Fax features Connectivity Standard connectivity Network capabilities Wireless capability Modem Alemory Orocessor speed Outy cycle (monthly, A4) ⁶	Not Applicable Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding. Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tax Phone	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f scale-to-fit; fax address book; LAN/internet fax; fa: Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive le rted: No; Fax Polling Supported: Yes (poll to receive lelephone Handset Supported: No; Fax Telephone N 00T network; 1 Foreign Interface; 1 Hardware Integr Base-T; 802.3az (EEE) support on Fast Ethernet and 1g (optional) hase of a hardware accessory 33.6 kbps GB MHz 1,000 pages	or received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa Adde Supported: No ration Pocket; 2 Internal USB Host		
Fax smart software features Fax memory Fax features Connectivity Standard connectivity Network capabilities Wireless capability Modem Pemory Processor speed Dutty cycle (monthly, A4) ⁶ Recom monthly page volume	Not Applicable Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding. Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tax Phone	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f scale-to-fit; fax address book; LAN/Internet fax; fax Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive lorted: No; Fax Polling Supported: Yes (poll to receivelephone Handset Supported: No; Fax Telephone NooT network; 1 Foreign Interface; 1 Hardware Integribase-T; 802.3az (EEE) support on Fast Ethernet and up (optional) hase of a hardware accessory 33.6 kbps GB	or received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa Ande Supported: No ration Pocket; 2 Internal USB Host		
Fax smart software features Fax memory Fax features Connectivity Standard connectivity Network capabilities Wireless capability Modem Amony Processor speed Duty cycle (monthly, A4) ⁶ Netecom monthly page volume Paper handing	Not Applicable Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve Not Applicable	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding; Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; To Supported: Yes; To Peed USB 2.0 Device; 1 Gigabit Ethernet 10/100/10 or (standard) supports: 10Base-T, 100Base-Tx, 1000 networkir Optional, enabled with pure 1 800 Up to 200 Up to 5000 to	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f scale-to-fit; fax address book; LAN/Internet fax; fax Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive l orted: No; Fax Polling Supported: Yes (poll to receiv elephone Handset Supported: No; Fax Telephone N 00T network; 1 Foreign Interface; 1 Hardware Integr Base-T; 802.3az (EEE) support on Fast Ethernet and ig (optional) hase of a hardware accessory 33.6 kbps GB MHz .000 pages o 20,000 pages	or received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa tode Supported: No ation Pocket; 2 Internal USB Host Gig Links; IPsec (standard); 802.11b/g/n wireles		
Fax smart software features Fax memory Fax features Connectivity Standard connectivity Network capabilities Wireless capability Modern Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume	Not Applicable Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve Not Applicable	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding. Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tax Phone	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f scale-to-fit; fax address book; LAN/internet fax; fa:	or received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfolode Supported: No aation Pocket; 2 Internal USB Host Gig Links; IPsec (standard); 802.11b/g/n wireles		
Fax smart software features Fax memory Fax features Connectivity Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type	Not Applicable Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve Not Applicable	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding. Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tax Phone	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f scale-to-fit; fax address book; LAN/Internet fax; fax Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive l orted: No; Fax Polling Supported: Yes (poll to receiv elephone Handset Supported: No; Fax Telephone N 00T network; 1 Foreign Interface; 1 Hardware Integr Base-T; 802.3az (EEE) support on Fast Ethernet and ig (optional) hase of a hardware accessory 33.6 kbps GB MHz .000 pages o 20,000 pages	or received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa tode Supported: No ation Pocket; 2 Internal USB Host Gig Links; IPsec (standard); 802.11b/g/n wireles		
Fax smart software features Fax memory Fax features Connectivity Standard connectivity Network capabilities Wireless capability Modem Vemory Processor speed Outy cycle (monthly, A4)s Recom monthly page volume Paper handing Media type Media type Media weight	Not Applicable Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve Not Applicable	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding: Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tax Phone TAM Interface Supported: Yes; Tax Phone TAM Interface Supported: Yes; Topeed USB 2.0 Device; 1 Gigabit Ethernet 10/100/10 or (standard) supports: 10Base-T, 100Base-Tx, 1000 networkin Optional, enabled with purc 1 800 Up to 5000 Up to 5000 Up to 5000 to ad, light, plain, preprinted, prepunched, recycled, ro Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 to	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f scale-to-fit; fax address book; LAN/internet fax; fax Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive learner of the process of	or received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa tode Supported: No ation Pocket; 2 Internal USB Host Gig Links; IPsec (standard); 802.11b/g/n wireles		
Fax smart software features Fax memory Fax features Connectivity Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Dutty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity	Not Applicable Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve Not Applicable	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding: Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tax Phone TAM Interface Supported: Yes; Tax Phone TAM Interface Supported: Yes; Topeed USB 2.0 Device; 1 Gigabit Ethernet 10/100/10 or (standard) supports: 10Base-T, 100Base-Tx, 1000 networkin Optional, enabled with purc 1 800 Up to 5000 Up to 5000 Up to 5000 to ad, light, plain, preprinted, prepunched, recycled, ro Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 to	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f scale-to-fit; fax address book; LAN/internet fax; fax Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive learner of the process of	or received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa tode Supported: No ation Pocket; 2 Internal USB Host Gig Links; IPsec (standard); 802.11b/g/n wireles		
Fax smart software features Fax memory Fax features Connectivity Standard connectivity Network capabilities Wireless capability Modern Memory Processor speed Puty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Olimensions (W x D x H)	Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg)	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding: Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tay Optional, enabled with pure Interface Supported: Yes; Tay 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 16 to 53 lb (60 to 199 g/m²); Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 to 12.3 x 26.8 x 45.7 in (745 x 681 x 1160 mm); Max: 36.1 x 40.6 x 45.7 in (747 x 1032 x 1160 mm); 192.3 lb (87.1 kg)	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f) scale-to-fit; fax address book; LAN/Internet fax; fax Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive lorted: No; Fax Polling Supported: Yes (poll to receive lephone Handset Supported: No; Fax Telephone NoOT network; 1 Foreign Interface; 1 Hardware Integrase-F; 802.3az (EEE) support on Fast Ethernet and up (optional) hase of a hardware accessory 33.6 kbps GB MHz .000 pages 0 20,000 pages 0 20,000 pages ugh, tough paper), bond, cardstock, envelope, label Trays 2-6: 16 to 32 lb (60 to 120 g/m²) 11.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 x 17 in 100 sheets 29.3 x 26.8 x 46.9 in Max: 36.1 x 40.6 x 46.9 in Max: 36.1 x	ror received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa tode Supported: No ation Pocket; 2 Internal USB Host Gig Links; IPsec (standard); 802.11b/g/n wireles s, transparency, vellum (745 × 681 × 1192 mm); n (917 × 1032 × 1192 mm) 225.8 lb (102.42 kg)		
Fax smart software features Fax memory Fax features connectivity Standard connectivity Network capabilities Wireless capability Modem Nemory Processor speed Puty cycle (monthly, A4)* Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Veight	Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg)	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding. Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tax Phone Tam Interface Tax Phone Tax	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f) scale-to-fit; fax address book; LAN/internet fax; fax Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive levelephone Handset Supported: Yes (poll to receive lephone Handset Supported: No; Fax Telephone N 00T network; 1 Foreign Interface; 1 Hardware Integr Base-T; 802.3az (EEE) support on Fast Ethernet and up (optional) hase of a hardware accessory 33.6 kbps GB MHz J,000 pages 120,000 pages 120,000 pages 121,7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 x 17 in 100 sheets 29.3 x 26.8 x 46.9 in Max: 36.1 x 40.6 x 46.9	ror received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa tode Supported: No ation Pocket; 2 Internal USB Host Gig Links; IPsec (standard); 802.11b/g/n wireles s, transparency, vellum (745 × 681 × 1192 mm); n (917 × 1032 × 1192 mm) 225.8 lb (102.42 kg)		
Fax smart software features Fax memory Fax features Connectivity Standard connectivity Network capabilities Wireless capability Modern Memory Processor speed Puty cycle (monthly, A4) ^a Recom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ^a	Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg)	256 levels of gray; Bl Stored faxes; fax archiving; fax forwarding. Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tax Optional, enabled with purconduction of the Supported: Yes; Tax Optional, enabled with purconduction of the Support Supported: Yes; Tax Optional, enabled with purconduction of the Support Suppor	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f) scale-to-fit; fax address book; LAN/internet fax; fax Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive lorted: No; Fax Polling Supported: Yes (poll to receive leephone Handset Supported: No; Fax Telephone NoOT network; 1 Foreign Interface; 1 Hardware Integribase-T; 802.3az (EEE) support on Fast Ethernet and up (optional) hase of a hardware accessory 33.6 kbps GB 0 MHz 0,000 pages 20,000 pages ugh, tough paper), bond, cardstock, envelope, label Trays 2-6: 16 to 32 lb (60 to 120 g/m²) 511.7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 x 17 in 100 sheets 29.3 x 26.8 x 46.9 in Max: 36.1 x 40.6 x 46.9 in Max: 35.1 x 40.6 x 46.9 in 120 g/m² 206.3 lb (92:35 kg) lardware Installation Guide, Support flyer, Warranty	ror received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa tode Supported: No ation Pocket; 2 Internal USB Host Gig Links; IPsec (standard); 802.11b/g/n wireles s, transparency, vellum (745 × 681 × 1192 mm); n (917 × 1032 × 1192 mm) 225.8 lb (102.42 kg)		
Fax smart software features Fax memory Fax features Connectivity Standard connectivity Network capabilities Wireless capability Modern Memory Processor speed Duty cycle (monthly, A4) ⁶ Recom monthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box ⁶ Warranty features Compatible operating	Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows B, Windows 7, Windows Vista, Windous 10.6, 05 X Lion, 05 X Mountain Lion; For the lates	Stored faxes; fax archiving; fax forwarding. Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tax Optional, enabled with purconduction of the Supported: Yes; Tax Optional, enabled with purconduction of the Supported: Yes; Tax Optional, enabled with purconduction of the Supported: Yes; Tax Optional, enabled with purconduction of the Supported: Yes; Tax Optional, enabled with purconduction of the Supported: Yes; Tax Optional, enabled with purconduction of the Supported: Yes; Tax Optional	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi i) scale-to-fit; fax address book; LAN/internet fax; fax Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive inted: No; Fax Polling Supported: Yes (poll to receive lephone Handset Supported: No; Fax Telephone NoT network; 1 Foreign Interface; 1 Hardware Integrases-T; 802.3az (EEE) support on Fast Ethernet and ig (optional) hase of a hardware accessory 33.6 kbps GB MHz 1,000 pages 120,000 pages 120,000 pages 121,7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 x 17 in 100 sheets 29.3 x 26.8 x 46.9 in Max: 36.1 x 40.6 x 46.9 in 206.3 lb (92.35 kg) lardware Installation Guide, Support flyer, Warranty 7252*: Same as above plus Telecom cable services (hp. com/go/upd); Novell (novell.com	ror received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfatode Supported: No ation Pocket; 2 Internal USB Host Gig Links; IPsec (standard); 802.11b/g/n wireles s, transparency, vellum (745 × 681 × 1192 mm); n (917 × 1032 × 1192 mm) 225.8 lb (102.42 kg) guide; Printer documentation and software on (64-bit),Windows Server 2012 (64-bit); Mac OS X //jprint); Linux (hptip.net); UNIX (hp.com/go/unix)		
Fax smart software features Fax memory Fax features Connectivity Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Duty cycle (monthly, A4) ⁶ Netcom monthly page volume Paper handing Media type Media weight Custom media sizes	Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the late hp.com/go/junkmodelscripts, hp.com/go/j PC: Windows 8, Windows 7, Windows Vista, Windows Vista, Windows 7, Windows Vista, Wi	Stored faxes; fax archiving; fax forwarding. Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tax Phone T	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi i) scale-to-fit; fax address book; LAN/internet fax; fax Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive inted: No; Fax Polling Supported: Yes (poll to receive lephone Handset Supported: No; Fax Telephone NoT network; 1 Foreign Interface; 1 Hardware Integrases-T; 802.3az (EEE) support on Fast Ethernet and up (political) descriptional) hase of a hardware accessory 33.6 kbps GB MHz 1,000 pages 120,000 pages 120,000 pages 120,000 pages 121,7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 x 17 in 100 sheets 29.3 x 26.8 x 46.9 in Max: 36.1 x 40.6 x 46.9 in 206.3 th (92.35 kg) lardware Installation Guide, Support flyer, Warranty 725z*: Same as above plus Telecom cable services (inp.com/go/sap/print); HP ePrint Nows Server 2008 (32 and 64-bit), Windows Server 2008 R2 erminal Services (inp.com/go/sap/print); HP ePrint Nows Server 2008, Windows Server 2008, Wind	ror received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfatode Supported: No ation Pocket; 2 Internal USB Host Gig Links; IPsec (standard); 802.11b/g/n wireles s, transparency, vellum (745 x 681 x 1192 mm); in (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) guide; Printer documentation and software on (64-bit),Windows Server 2012 (64-bit); Mac OS X //iprint); Linux (hptip.net); UNIX (hp.com/go/unix dobile Driver (hp.com/go/eprintmobiledriver) is Server 2012 (64-bit); 200 MB available hard d		
Fax smart software features Fax memory Fax features onnectivity Standard connectivity Network capabilities Wireless capability Modern Nemory Processor speed Puty cycle (monthly, A4)* Nectom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Namesions (W x D x H) Weight What's in the box* Varranty features ompatible operating ystems Name Media vegen Varranty seatures ompatible operating ystems Name Media vegen Varranty features ompatible operating ystems	Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windo 10.6, 05 X Lion, 05 X Mountain Lion; For the lates the condition of the con	Stored faxes; fax archiving; fax forwarding. Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tax Phone T	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f) scale-to-fit; fax address book; LAN/internet fax; fax Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive learner of the process of	ror received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa Mode Supported: No ation Pocket; 2 Internal USB Host Gig Links; IPsec (standard); 802.11b/g/n wireles S, transparency, vellum (745 × 681 × 1192 mm); n (917 × 1032 × 1192 mm) 225.8 lb (102.42 kg) guide; Printer documentation and software on (64-bit),Windows Server 2012 (64-bit); Mac OS X //iprint); Linux (hplip.net); UNIX (lp.com/go/funk) //ipsint); Linux (hplip.net); UNIX (lp.com/go/funk) //ipsint); Linux (hplip.net); OMB available heard of D-ROM/DVD-ROM or Internet, see apple.com Ints (Andale Mono WorldType); 2 Internal Windo Ints (Andale Mono WorldType); 2 Internal Windo		
Fax smart software features Fax memory Fax features onnectivity Standard connectivity Network capabilities Wireless capability Modern Networy Processor speed Puty cycle (monthly, A4)* Netcom monthly page volume Paper handing Media type Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Weight What's in the box* Varranty features ompatible operating ystems Itinimum system equirements onts and Typefaces	Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhe Paper (color, letterhe 24.2 x 25.6 x 24 in (614 x 649 x 609 mm) Max: 34.1 x 38.9 x 24 in (865 x 989 x 609 mm) 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windous 10.6, 05 X Lion, 05 x Mountain Lion; For the lates hp.com/go/junkmodelscripts, hp.com/go/junkmodelscripts, hp.com/go/junkmodelscripts hp.com/go/junkmo	Stored faxes; fax archiving; fax forwarding. Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tax Phone T	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi i) scale-to-fit; fax address book; LAN/internet fax; fax Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive inted: No; Fax Polling Supported: Yes (poll to receive lephone Handset Supported: No; Fax Telephone NoT network; 1 Foreign Interface; 1 Hardware Integribase-T; 802.3az (EEE) support on Fast Ethernet and up (potional) hase of a hardware accessory 33.6 kbps GB 0.000 pages 0.20,000 pages 0.20,000 pages 0.20,000 pages 0.20,000 pages 0.21,7 x 14.3 in; Trays 3-6: 5.8 x 8.3 to 11.7 x 17 in 100 sheets 29.3 x 26.8 x 46.9 in Max: 36.1 x 40.6 x 46.9 in 20.6 x 46.	ror received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interfa Mode Supported: No ation Pocket; 2 Internal USB Host Gig Links; IPsec (standard); 802.11b/g/n wireles S, transparency, vellum (745 × 681 × 1192 mm); n (917 × 1032 × 1192 mm) 225.8 lb (102.42 kg) guide; Printer documentation and software on (64-bit),Windows Server 2012 (64-bit); Mac OS X //Iprint); Linux (hptip.net); UNIX (hp.com/go/unix) dobile Driver (hp.com/go/eprintmobiledriver) is Server 2012 (64-bit); 200 MB available hard do D-ROM/DDP-ROM or Internet, see apple.com ints (Andale Mono WorldType); 2 Internal Windo navailable at hp.com/go/taserjetfonts		
Fax smart software features Fax memory Fax features Connectivity Standard connectivity Network capabilities Wireless capability Modem Memory Processor speed Puty cycle (monthly, A4) ⁶ Recommenthly page volume Paper handing Media type Media weight Custom media sizes ADF capacity Dimensions (W x D x H) Veight What's in the box ⁶ Warranty features Compatible operating systems Vanimum system	Not Applicable Not Applicable Not Applicable 2 Hi-Speed USB 2.0 Host; 1 Hi-S Via HP Jetdirect Ethernet embedded print serve Not Applicable Paper (color, letterhe Paper (color, letterhe Paper (solor, letterhe 119.3 lb (54.11 kg) M725dn: HP Laser Jet Enterprise MFP M725; Windows 8, Windows 7, Windows Vista, Windous 10.6, OS X Lion, OS X Mountain Lion; For the latee hp.com/go/junkmodelscripts, hp.com/go/junkmodelscr	Stored faxes; fax archiving; fax forwarding. Auto Fax Reduction Supported: Yes; Auto-Re Supported: Yes; Fax Phone TAM Interface Supported: Yes; Tax Phone T	ack Photo Grayscale: 300 x 300 dpi (400 x 400 dpi f) scale-to-fit; fax address book; LAN/internet fax; fax Up to 100 pages dialing: Yes; Fax Delayed Sending: No; Distinctive learner of the process of	for received faxes only) k number confirmation; Holiday fax schedule Ring Detection Supported: No; Fax Forwarding e only); Junk Barrier Supported: Yes; PC Interformation Pocket; 2 Internal USB Host Gig Links; IPsec (standard); 802.11b/g/n wirelest Gig Links; IPsec (standard); 802.11b/g/n wirelest s, transparency, vellum (745 x 681 x 1192 mm); n (917 x 1032 x 1192 mm) 225.8 lb (102.42 kg) guide; Printer documentation and software on (64-bit), Windows Server 2012 (64-bit); Mac OS X //Iprint); Linux (hplip.net); UNIX (hp.com/go/unix Aobile Driver (hp.com/go/eprintmobiledriver) is Server 2012 (64-bit); 200 MB available hard d D-ROM/DVD-ROM or Internet, see apple.com ints (Andale Mono WorldType; 2 Internal Windo a vavailable at hp.com/go/laserjetfonts sy Access USB; Hardware Integration Pocket		

Non-operating humidity range: Recommended operating humidity range: 10 to 90% RH Power⁹

30 to 70% RH 50 to 91° F (10 to 32.5° C) Operating temperature range: 50 to 91° F (10 to 32.5° C) 32 to 140° F (0 to 60° C) Recommended operating temperature range:

Storage temperature range: Acoustic¹⁰

Acoustic power emissions: 6.8 B(A) Acoustic power emissions (active copy): Acoustic power emissions (ready): 7.1 B(A) 5.0 B(A) Power supply type:

110-volt input voltage: (Option #BGJ, #201) 110 to 127 Power supply required: VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: (Option #AAZ) 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz)

(Not dual voltage, power supply varies by part number with # Option code identifier)

890 watts (Active print/copy), 39 watts (Ready), 6.5 watts (Sleep), 0.3 watts (Off)

Typical Electricity Consumption (TEC): 3.31 kWh/Week (110/220 V), 2.8 kWh/Week (Blue Angel)

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ² Exact speed varies depending on the system configuration, software application, driver, and document complexity. ² Exact speed varies depending on the system configuration, software application software. ⁴ First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ³ Based on standard ITU-Test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory. ⁵ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a due provides a one memory. ⁵ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a divent provides and provided individuals or groups. ⁸ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Values subject to change, see hp.com/support for current information. Acoustic values are subject to change. For current information see hp.com/suconfiguration tested: base model, simplex printing, A4 paper at an average of 40 ppm.

Power consumption:





To learn more, visit hp.com







Acoustic pressure emissions bystander (active copy):









56 dB(A)





