



# VMWARE VIEW WITH JUNIPER NETWORKS SA SERIES SSL VPN APPLIANCES

Configuring Secure SSL VPN Access in a VMware Virtual Desktop Environment



## Table of Contents

Introduction
Scope
Design Considerations
Hardware Requirements
Software Requirements
Description and Deployment Scenario
VMware View Connection Server Configuration 4
Configure the SA Series for View Connection Server
Virtual Desktops Resource Profile (Recommended Method)
Configure the Web Resource Profile and Access Method (Alternate Method)11
Network Connect
WSAM
PCoIP (PC-over-IP) Support14
Troubleshooting/Logging
Summary
About Juniper Networks

# Table of Figures

Figure 1: SA Series in VMware View environment	
--	--

#### Introduction

Customers running a VMware View environment don't just want secure access for virtual desktop sessions, they want convenience as well. With this in mind, Juniper Networks® SA Series SSL VPN Appliances extend the security deployment by brokering connections to virtual machines and providing single sign-on (SSO) when users access their assigned virtual desktops. This solution saves precious time and greatly improves the end user experience. Furthermore, SA Series SSL VPN Appliances offer this functionality to any and all internal VMware View deployments and other popular intranet applications.

VMware View 4.5 and PC-over-IP are fully supported and optimized using a standard Network Connect profile. If the intention is to run this particular configuration, simply refer to the current Admin Guide for detailed instructions on configuring Network Connect.



3. User selects the assigned virtual desktop and the connection is brokered by the SSL VPN.

Figure 1: SA Series in VMware View environment

#### Scope

This document will illustrate the specific steps required to configure this setup, as well as steps to provide SSO so that users no longer have to first log into the SSL VPN and then immediately log into their VMware View client whenever they need to access their virtual desktop.

#### **Design Considerations**

An operational VMware View environment and the SA Series are all that are needed to configure secure and convenient virtual desktop access. Note that some of the features supported in thin client configurations, such as clientless access and seamless Java client fallback, are not currently supported in this scenario.

#### Hardware Requirements

Juniper Networks SA Series SSL VPN Appliances

#### Software Requirements

- · Network Connect (NC) or Windows Secure Application Manager (WSAM) for use on the client workstation
- VMware View client
- VMware View environment

## Description and Deployment Scenario

Administrators should follow each of the following steps to successfully configure SSO from the VMware View client to the backend VMware View environment.

#### VMware View Connection Server Configuration

- Install VMware View Connection Server.
- Once installed, configure View Server as per the business needs.



• Configure global services to connect to your Virtual Center/VMware ESX server(s) in order to load virtual machines from your existing environment. **Note**: A security server acts as an SSL offload and is not needed when View is used in conjunction with an SSL VPN.

Configuration - Windows Inter	rnet Explorer				
G - Nhttps://172.20.1.19	9/admin/config/config.jsf		~	S Certificate Error	
<u>File E</u> dit <u>V</u> iew F <u>a</u> vorites <u>T</u> ools	Help				
😭 🕸 🕅 Configuration				<u>ن</u> ا	🖶 🔹 🔂 Page 🔹 🍈 Tools 🔹
vmware View Administ	trator				About Help Logout <mark>A</mark>
Desktops and Pools Users	and Groups	n Events			ogged in as: administrator
Product Licensing and Usage	VirtualCenter Servers			Security Servers	
Servers			Add Edit Remove	Add Edit Remove	Create Configuration File
Administrators	Name			Name	
Global Settings	172.20.3.10(kfletche	D		vcs-security	
	View Servers				
				Enable Disable	e Edit Backup Now
	Name	Activation	Settings		Last Backup
	VCS-CONNECTION	Enabled	Direct Connect, Smart card aut	thentication: Optional, Automatic backup	7/23/09 11:00 PM
				💮 Internet	€ 100% ▼

@Desktops	and Pools - Windows Inte	ernet Explorer			
<b>G</b> -	🗞 https://172.20.1.199/adm	nin/desktop/allDesktops.jsf?page=desktopsTab	🗙 😵 Certificate Error	Google	[P -
<u>File E</u> dit <u>V</u>	(iew F <u>a</u> vorites <u>T</u> ools <u>H</u> el	p			
** *	Desktops and Pools			<u>∆</u> • ∉	• 🔁 Page • 🎯 Tools •
🗇 vmwa	re View Administrator	8		AI	oout Help Logout
	Edit Desktop				administrator
Desktops	Type Desiton Persistence	Ready to Complete			
Inventory	Source				
Clobal (	Virtual Center Server Unique ID	Type: Desktop persistence:	Manual Desktop Pool		
역별 Giobal i	Desktop/Pool Settings	Desktop pool source:	VirtualCenter virtual machines		
W VCS-Pe	Ready to Complete	VirtualCenter server:	172.20.3.10		
		Unique ID:	VCS-Pool1		
		Display name: Desktop pool state:	Enabled		
		When VM is not in use:	Do nothing		62.2
		Allow users to reset their desktop:	True		ct
		Allow multiple sessions per user:	False		lop:
		Automatic logoff after disconnect: Default display protocol:	Immediately Microsoft RDP		er:
		Allow users to override the default protoco	I: False		and the second
		Adobe Flash quality:	Low		iult protocol:
		Adobe Flash throttling:	Moderate		=
		Description:			
		E			
				< Back Finish Ca	ancel
U					
Page 1 of 1	Previous Nex	d <	10		> ~
[object]				💮 Internet	100% -

• Configure the desktop pool(s).

@Desktops and Pools - W	indows Internet	Explorer					-	
• Nhttps://172.	.20.1.199/admin/de	sktop/allDesktops.jsf?pa	ge=desktopsTab	🗸 😵 Ce	ertificate Error	Google		P-
<u>File Edit View Favorites</u>	<u>T</u> ools <u>H</u> elp	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~						
😭 🎲 🕄 Desktops and Po	pols						• 🖶 • ि Page • ()	Tools 👻
View Ad								out 🔶
G	Entitlements						Logged in as: adminis	trator
Desktops and Pools	1. Find the use	rs and groups to entit	le					
	Туре:	Users	C Groups					
Inventory Search	Domain:	Entire Direc	tory 🔽				Daliaiaa	
Global desktop and po	Name:	Starts with	*	users			Folicies	
( <u></u> ) VOOT 0011	Description:	Starts with	* [Fin	<u>ت</u>				_
	2. Select the ro	WS:	(Fin	a			Settings	
	Name	Licername	Email	Description	In Folder	^	of after disconnect:	
	Users	Users	Email	Users are prevented from making accidental or intentional system-wide changes. Thus, Users can run certified applications, but not most legacy applications	acmegizmo.com/Builtin		reset their desktop: sessions per user: protocol: override the default prot uality: irrottling:	ocol: 
0					OK Ca	incel		
Page 1 of 1 Pre	evious Next	< ]		00				>
(object]					•	Internet	🕀 1009	6 -

• Set up entitlements.

## Configure desktop sources.

Desktops and Pools - Windows Interne	net Explorer		
• Nhttps://172.20.1.199/admin/d	desktop/allDesktops.jsf?page=desktopsTab	Certificate Error	[P]
<u>File E</u> dit <u>V</u> iew F <u>a</u> vorites <u>T</u> ools <u>H</u> elp			
😪 🍄 😡 Desktops and Pools		1	🔓 🔹 🖶 🔹 🔂 Page 🔹 🎯 T <u>o</u> ols 🔹
View Administrator			About Help Logout 合
<b>9</b> 8	於 圖		Logged in as: administrator
Desktops and Pools Users and Gro	oups Configuration Events		
Inventory Search	VCS-Pool1		
👰 Global desktop and pool view	Summary Users and Groups	Desktop Sources Active Sessions	Policies
UCS-Pool1	Add Remove Reset Virtual Mac	chine Name contains: •	Find Cle
	Virtual Machine Name	DNS Name	User Status
	🔲 🛱 XP Pro - VM1	VM1.acmegizmo.com	Ready
	XP Pro - VM2	VM2.acmegizmo.com	Ready
		44 4 A	
			IIIS
3			
Ų			
Page 1 of 1 Previous Next		0	<b>M</b>
[ ] [object]		Her 🔂 Inter	iet 🖤 100% 🔹

Туре:	VMware View Manager 🗸						
Name: *	vcs-connection.acmegizmo.com						
Description:							
Server IP and Port: * use ipaddr:port format Examples:10.10.1.10:80 xml.example.com:80	vcs- connection.acmegizmo.com:443	Name or IP address and por					
	✓ Use SSL for connecting to the S	Server					
Credentials: Username:*	<pre><username> Username for logging i</username></pre>	nto Server or <username></username>					
⊙ Variable Password:	<password> <password> or <pas< th=""><th>SSWORD@SEcAuthServer&gt;</th></pas<></password></password>	SSWORD@SEcAuthServer>					
O Password:							
Domain:*	ACMEGIZMO						
Save changes?							
Save and Continue >							

• Install the VMware View Agent on respective virtual or physical machines to be used as desktop sources. They will then automatically be discovered and enabled by View server.

#### Configure the SA Series for View Connection Server

There are two options for configuring VMware View access via the SA Series:

- Recommended: Use the virtual desktops resource profiles.
  - SSO, client invoked on the fly.
- Configure a Web resource profile and either WSAM or NC to tunnel the connection.
  - SSO, VMware view portal presented.

#### Virtual Desktops Resource Profile (Recommended Method)

This best practice approach simplifies configuration and deployment of VMware View Connection Server with the SSL VPN. Furthermore, SSO and seamless delivery are included here.

- Login to the SA Series appliance as an administrator.
- Navigate to "Resource profile-Virtual Desktops."
- Select type -> "VMware View Manager."
- Enter the configuration for the VMware view target server:
- Continue: Choose the roles you'd like, and save the bookmark.

With this configuration, when users log into the SA Series appliance, their portal page will now include the VMware virtual desktop as configured:

Junipe	r°			\$	٢	
A A NETWORKS		Home	Meetings	Preferences	Brows	se (tips)
	Welcome to the Secure Access SSL VPN, acmegizmo\kfletcher.					
	Web Bookmarks			8= + 💌		
	You don't have any web bookmarks.					
	Files		8=	⁺ <b>∷</b> *x ▼		
		Wi	ndows Files	Unix Files		
	You don't have any files bookmarked.					
	Client Application Sessions			-		
	🚔 Network Connect		[	Start		
	👛 Java Secure Application Manager		(	Start 8=		
	Vietual Decktons					
	b vcc-connection acmegizme.com	_				
	₽ <u>RDP</u>					

## Configure the Web Resource Profile and Access Method (Alternate Method)

- Log into the SA Series as an administrator.
- Navigate to "Resource profile-Web."
- Select type -> "Custom."
- Enter the configuration for the VMware View target server:

🖉 Central Manager - Ed	dit Resource Profile - Windows I	nternet Explorer					X
- E https://s	a64.acmegizmo.com/dana-admin/objects	/edit_object.cgi?object_type=v	veb&subtype=	=custom&	object_id=	Google	•
Eile Edit View Favorite	es <u>T</u> ools <u>H</u> elp						
🚖 🏤 🖗 Central Mana	ager - Edit Decource Drofile					🦄 🔹 🚔 🔹 🕞 Page 🔹 🔅 Tools	-
	agor Edicitosodico Fronto			_	_		
							Î
Root 🕶 Go		Central Manag Root	er			Help   Guidance   Sign Out	
- System					-		
Status •	VMware View						
Network	initial content						Ξ
Clustering +	Resource Roles Bookm	arks					
Virtual Systems →			-	-			
IF-MAP Federation →	Type: *	Custom					
- Authentication	Name *	Custom					
Signing In b	Name: **	VMware View					
Endpoint Security >	Description:				~		-
Auth. Servers							
- Administrators							
Admin Realms →					X		
Admin Roles →	Base URL: *	https://vcs-connect	ion.acmegi	zmo.cor	n	This URL will be used to create bookmarks to your web	
Users						We recommend that you use the fully qualified domain	
User Realms						Example: http://www.domain.com	
Resource Profiles +	Autopolicies:	Autopolicies are resourc	e nolicies ti	nat corre	enond to	o this resource profile. In order for your autopolicies to	
Resource Policies >	, acoponencor	work effectively, you m	ust enter a	fully qua	lified do	main name in your base URLs.	
- Maintenance							
System >		Hide unused au	topolicy typ	es <<			
Import/Export +					_		
Push Config >	Autopolicy: Web Access	Control					
Troubleshooting >	Autopolicy. Web Access	Control					
	Use this autopolicy to control acc	ess to web servers and UR	Ls.				
	Delete 🕈 🖡						
	Resource		Action				
				bbA	http://*	es: :.domain.com/public/*	
					https://	www.domain.com:443/*	
	nttps://vcs-connection.	acmegizmo.com:443/*	Allow				
							~
Done						Diternet 🛞 100% 👻	
				_		4 100 /0	1155

- · Select "Show ALL Autopolicy types."
- Enter the URL for the View Connection Server in the "Base URL" input field.
- The Web Access Control policy should fill automatically after doing this.

✓ A	utopolicy: Web Access Control			
Use	this autopolicy to control access to web servers and UF	lLs.		
De	lete			
	Resource	Action		Commolium -
		Allow 🛩	Add	http://*.domain.com/public/* https://www.domain.com:443/*
	https://vcs-connection.acmegizmo.com:443/*	Allow		

- Select the check box "Autopolicy: Single Sign-on."
- · Select the radio button "Remote SSO."
- Select the check box "POST the following data."
- Enter the resource, e.g. http://<view connection server>.
- Enter the Post URL which is http://<view connection server>:80/index.jsp (or https).
- If the authentication server to the SSL VPN is Active Directory, then add the following data including the angle brackets:

o piaskla cco							
O Disable SSO							
<ul> <li>Basic Auth</li> </ul>	Res	ource : *	https://vcs-connection.a	cmegizmo.com:44	43/inc		
O NTLM	Pos	t URL: *	https://vcs-connection.a	cmegizmo.com/in	dex.j		
🔿 Kerberos		[	Deny direct login for	this resource			
Constrained Delegation		[	Allow multiple POSTs	to this resource			
③ Remote SSO	De	lete 1					
		Label	Name	Value	User modifiable?		
					Not modifiable	Add	
		submit	submit	Login	Not modifiable		
		windows- password-domain	windows- password-domain	ACMEGIZMO	Not modifiable		
		authType- windows-password	authType- windows-password	true	Not modifiable		
		windows- password- username	windows- password- username	<username></username>	Not modifiable		
		windows- password-password	windows- password- password	<password></password>	Not modifiable		

**Note:** If 2-factor authentication is being used, then it will be necessary to configure a secondary authentication server for Active Directory, using the options <USERNAME[2]> and <PASSWORD[2]> in order to send the proper user credentials for single sign-on.

**Important:** When WSAM is used, a caching override policy must be utilized, as the SA Series marks all content as non-cacheable by default. This causes some conflicts with compressed .cab files. To do this, create a "caching" policy with the proper VMware URL path with /\*cab at the end, and with the setting "**Unchanged**."

Once the VMware View client is launched, it needs a way to forward the Remote Desktop Protocol (RDP) traffic to the backend virtual desktop instance. To facilitate this, either the NC or WSAM feature may be used, either of which is probably already in use by the remote access users. If users do not have either of these access methods assigned to them, the administrator will have to decide which one is most appropriate for a given role and then assign that feature accordingly.

#### Network Connect

For NC configurations, the following elements are required:

- Enable Network Connect at the user's role level.
- Configure desired NC split tunneling role options.
- Configure the NC connection profile and IP pool to use.
- Configure NC access control lists (ACLs) in order to allow access to the View Server and optionally the backend virtual machines (if Direct Connect is enabled).

## WSAM

WSAM can work in application mode if View Connection Server is configured with either tunnel or non-tunnel mode. WSAM in server mode will work only if VMware View is configured in non-tunnel mode. Only one WSAM mode is required, although both may be used.

	s> Iware
Ge	herai web Flies SAM Teinet/SSH Terminal Services Meetings Network Connect
Арр	lications Options
	Add Application Duplicate Delete
	WSAM supported applications
	VMware View (wsnm.exe)
	VMware View (wswc.exe)
For	client applications not listed above, specify what servers (if any) should be allowed. These servers will be accessible to
any	client application.
A	Add Server Duplicate Delete
-	
	WSAM allowed servers
	VMware View Server (vcs-connection.acmegizmo.com)
	VMware View Server (172.20.1.199)

# PCoIP (PC-over-IP) Support

PCoIP is a high performance display protocol purpose-built to deliver virtual desktops and to provide end users with the best, total rich desktop experience regardless of task or location. With PCoIP, the entire computing experience is compressed, encrypted and encoded in the datacenter before being transmitted across a standard IP network to PCoIP-enabled endpoint devices.

Using VMware View with PCoIP display protocol end-users benefit from a rich desktop experience on the LAN as well as across the WAN. In conjunction with the SA Series SSL VPN Appliance using IPsec Encapsulation Security Payload (ESP), an end-user is able to connect with PCoIP from a remote location across an encrypted connection back to the datacenter where their desktop resides.

All that is required to configure PCoIP is a Network Connect profile allowing the View client running on the workstation to access the View servers. As PCoIP requires both TCP and UDP, a layer 3 VPN tunnel (NC) is required. To fully optimize any PCoIP session, the Network Connect UDP/ESP transport method needs to be implemented.

Note that the user experience with PCoIP will be different from accessing with RDP only. RDP users can access their virtual desktops using the SSL VPN bookmarks, whereas PCoIP users will simply access the View desktop by first establishing the Network Connect session and then launching the View client as if they were on the LAN. With this configuration, there is no dependency on any particular version of VMware View, so even newer and emerging distributions by VMware are immediately supported.

## Troubleshooting/Logging

SA Series SSL VPN Appliances log virtually all transactions/interactions with the VMware View server. Below is an example of some of the granular logging and also custom formats/filters which could be applied.

## Summary

With Juniper Networks SA Series SSL VPN Appliances, customers running a VMware View environment can now enjoy the benefit of single sign-on to their virtual desktops as well as any other Web, thin client, or network resources that administrators may have configured. This solution saves administrators time and greatly improves the end user experience.

Event	s User Ac	cess Admin Access Sensors Client Logs SNMP Statistics
Log Settings Filters		
View b	y filter: St	andard:Standard (default) Show 2000 items
Edit Q	uery:	
	Lind	Te Reset Query Save Query
	Opu	The set query Care query
Save Log As Clear Log Save All Logs		
	Filter: Stan	dard (default)
	Query:	ist to Newest
Export Format: Standard		
Seven	ty ID	Message
Info	AUT22673	2009-07-29 12:09:57 - ive - [70.113.208.37] Root::ACMEGIZMO\kfletcher(VMware)[VMware] - Logout from 70.113.208.37
Info	JAV20023	2009-07-29 12:09:54 - ive - [70.113.208.37] Root::ACMEGIZMO\kfletcher(VMware)[VMware] - Closed connection to 172.20.1.188 port 32111 after 9 seconds, with 2315 bytes read (in 14 chunks) and 4080 bytes written (in 7 chunks)
Info	JAV20023	2009-07-29 12:09:54 - ive - [70.113.208.37] Root::ACMEGIZMO\kfletcher(VMware)[VMware] - Closed connection to 172.20.1.188 port 3389 after 11 seconds, with 98218 bytes read (in 172 chunks) and 30058 bytes written (in 41 chunks)
Info	JAV20021	2009-07-29 12:09:46 - ive - [70.113.208.37] Root:: <u>ACMEGIZMO\kfletcher(</u> VMware)[VMware] - Connected to 172.20.1.188 port 32111
Info	JAV20021	2009-07-29 12:09:43 - ive - [70.113.208.37] Root::ACMEGIZMO\kfletcher(VMware)[VMware] - Connected to 172.20.1.188 port 3389
Info	WEB20174	2009-07-29 12:09:42 - ive - [70.113.208.37] Root::ACMEGIZMO\kfletcher(VMware)[VMware] - WebRequest completed, POST to https://vcs-connection.acmegizmo.com:443//broker/xml from 172.20.1.199 result=200 sent=183 received=805 in 1 seconds
Info	WEB20169	2009-07-29 12:09:41 - ive - [70.113.208.37] Root::ACMEGIZMO\kfletcher(VMware)[VMware] - WebRequest ok : Host: vcs-connection.acmegizmo.com, Request: POST /broker/xml HTTP/1.1
Info	WEB20174	2009-07-29 12:09:38 - ive - [70.113.208.37] Root::ACMEGIZMO\kfletcher(VMware)[VMware] - WebRequest completed, GET to https://vcs-connection.acmegizmo.com:443//styles/default/desktop- icons/desktop_remote32x.gif from 172.20.1.199 result=200 sent=64 received=1441 in 1 seconds
Info	WEB20169	2009-07-29 12:09:37 - ive - [70.113.208.37] Root::ACMEGIZMO\kfletcher(VMware)[VMware] - WebRequest ok : Host: vcs-connection.acmegizmo.com, Request: GET /styles/default/desktop-icons/desktop_remote32x.gif HTTP/1.1
Info	WEB20174	2009-07-29 12:09:36 - ive - [70.113.208.37] Root::ACMEGIZMO\kfletcher(VMware)[VMware] - WebRequest completed, GET to https://vcs-connection.acmegizmo.com:443//styles/default/cookieFunctions.js from 172.20.1.199 result=200 sent=47 received=751 in 1 seconds
Info	WEB20169	2009-07-29 12:09:36 - ive - [70.113.208.37] Root::ACMEGIZMO\kfletcher(VMware)[VMware] - WebRequest ok : Host: vcs-connection.acmegizmo.com, Request: GET /styles/default/cookieFunctions.js HTTP/1.1

The Juniper Networks SA Series SSL VPN Appliances provide the following benefits for VMware View environments:

- A hardened security appliance, including Federal Information Processing Standards (FIPS) and Common Criteria solutions
- A single platform for all access methods
- A complete range of authentication methods: tokens, certificates, LDAP, etc.
- SSO capability
- Support for PCoIP protocol and RDP
- Wide range of supported platforms
- Endpoint security scanning and validation
- Detailed administrative and user logging
- Integrated high availability

#### **About Juniper Networks**

Juniper Networks, Inc. is the leader in high-performance networking. Juniper offers a high-performance network infrastructure that creates a responsive and trusted environment for accelerating the deployment of services and applications over a single network. This fuels high-performance businesses. Additional information can be found at **www.juniper.net**.

#### Corporate and Sales Headquarters

Juniper Networks, Inc. 1194 North Mathilda Avenue Sunnyvale, CA 94089 USA Phone: 888.JUNIPER (888.586.4737) or 408.745.2000 Fax: 408.745.2100 www.juniper.net

#### APAC Headquarters

Juniper Networks (Hong Kong) 26/F, Cityplaza One 1111 King's Road Taikoo Shing, Hong Kong Phone: 852.2332.3636 Fax: 852.2574.7803

#### EMEA Headquarters

Juniper Networks Ireland Airside Business Park Swords, County Dublin, Ireland Phone: 35.31.8903.600 EMEA Sales: 00800.4586.4737 Fax: 35.31.8903.601 To purchase Juniper Networks solutions, please contact your Juniper Networks representative at 1-866-298-6428 or authorized reseller.

Copyright 2011 Juniper Networks, Inc. All rights reserved. Juniper Networks, the Juniper Networks logo, Junos, NetScreen, and ScreenOS are registered trademarks of Juniper Networks, Inc. in the United States and other countries. All other trademarks, service marks, registered marks, or registered service marks are the property of their respective owners. Juniper Networks assumes no responsibility for any inaccuracies in this document. Juniper Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice.

3500148-007-EN Nov 2011