WORKABOUT PRO

The Flexible, Expandable Workhorse



WCREABCU

Something's very wrong if you have to throw out your fleet of handheld computers just because your needs change.

At Psion Teklogix, we take a different approach. The WORKABOUT PRO has hardware expansion slots that make adding new modules fast and easy – there's a whole range of add-ons already available – everything from fingerprint scanners to the largest selection of RFID readers on any handheld device. Period.

It just might be the most flexible, intelligent, rugged handheld computer ever made...

WORKABOUT PRO The Flexible, Expandable Rugged Handheld Computer

THE MOBILE WORKHORSE

Let's face it: you have no idea what tomorrow will bring. The rugged handheld computer you choose today may not be right when your needs change.



Unless you choose the legendary WORKABOUT PRO. It's built on the Modulus[™] platform, so it's easily extended using a wide range of hardware modules – anything from passport readers and fingerprint scanners to WAN radios, laser scanners, imagers and Bluetooth[®] printers. Plus a growing range of connectivity peripherals (RS232, USB...) that mean you'll never regret your decision.

Our many partners are always developing new modules. Choose one to meet your unique needs, change one when your needs evolve or use the Hardware Development Kit to make your own.





FEATURES & BENEFITS

The mobile workhorse

The WORKABOUT PRO is relied on every day in mobile-intensive applications such as asset tracking, meter reading, and mobile ticketing across a variety of industries such as field service, courier, retail, warehousing and manufacturing – and the list continues to grow.

It's more than a data capture device. It's a cellphone and an intelligent workstation too, allowing your mobile workers to call customers, upload route maps, and send data back to office headquarters.

It's all about choice

Choose WiFi, GPRS/EDGE or 3G HSDPA voice and data. Choose numeric or full alphanumeric keyboards. Choose your scanners, imagers and RFID options. There's even a choice of Windows® operating systems.

Even once deployed, you've still got options, with a universe of hardware modules and software applications to choose from.

The mobile worker is our focus

WORKABOUT PRO's Natural Task Support[™] means mobile workers get the job done faster and more comfortably, even over the longest shifts.

It starts with a full VGA display for finer details in maps and schematics, and easier readability even in low light and direct sunlight. The ergonomic keypad is designed for one-hand operation with clear, unambiguous feedback. But it also comes down to intangible things like the feel in your hand, the balance and the way your fingers seem to fall in just the right way.

Rugged beyond the ratings

The WORKABOUT PRO is tested to withstand drops from six feet to concrete and easily handles the kind of shock and vibration you get from mounting it on a truck or a forklift. It has an IP65 rating, protecting it against dust and water sprayed from all directions.



BELGIAN FORMULA 1 GRAND PRIX

130,000 Formula 1 Fans tracked by RFID-enabled WORKABOUT PROs

- RFID tags integrated into tickets enabled real-time ticket management
- Security scanned tickets with a WORKABOUT PRO equipped with HF RFID Reader
- Resulted in reduced fraud, improved access control and shorter entrance wait times

WORKABOUT PRO

Accessories



Quad Docking Station c/w UPS

The Quad Docking Station allows up to four WORKABOUT PRO units to charge simultaneously while providing 10/100 BaseT Ethernet communications. It also provides sufficient power to fast-charge the batteries in the unit.



Desktop Docking Station

The Desktop Docking Stating supports all variants of the WORKABOUT PRO. It simultaneously provides USB Host and Client functions. Ethernet or RS232 are supported via expansion adapters. An additional battery charger well is integrated to ensure that your spare batteries remain fully charged.

Quad Battery Charger

The Quad Battery Charger can charge either Standard or High Capacity batteries simultaneously.



Pistol Grip - Multiple options available

The WORKABOUT PRO pistol grip attachment allows easy conversion to a pistol grip unit. Various pistol grips are available to accommodate a wide range of applications and model variants.



End Cap - Multiple options available

Shown is a 1D Imager End-Cap. The 1D Imager is a low power, compact, and ergonomic scanning solution that features an extremely high read rate. It automatically and instantly adapts to varying light conditions and provides users a bright targeting line that is readable even in bright sunlight.



Powered Vehicle Cradle 12V

A highly ruggedized, single unit station dock/charger, powered by DC power sources over a 9V to 20V range. This cradle provides quick insertion and removal while holding the WORKABOUT PRO securely – even when operated in high vibration environments. Non-powered options also available.



"Psion Teklogix was able to demonstrate such a compelling return on investment, that there was no reason not to proceed with adoption of the system immediately." – Wilkinson





WORKABOUT PRO



MODEL VARIANTS

- WORKABOUT PRO C Model 7527C-G2
- WORKABOUT PRO S Model 7527S-G2

PLATFORM

- PXA270 520 MHz, 32 bit RISC CPU
- 256 MB Flash ROM
- 128 MB RAM

OPERATING SYSTEM

Windows[®] CE 5
Windows Mobile[®] 6 Classic, Professional



WIRELESS COMMUNICATIONS

Optional expansion modules for:

- 802.11a/b/g Compact Flash Radio available on C model
- 802.11b/g Compact Flash Radio available on all models
- GPRS EDGE 850/900/1800/1900 Voice and Data
- 3G HSDPA 850/1900/2100MHz Voice and Data
- Integrated Bluetooth[®] Class II, V 2.0 + EDR
- Note: All expansion modules are available factory configured or user installable



BARCODE APPLICATIONS

- ID laser scanning in standard range, long range, and auto range configurations
- 1D linear imager
- 2D area imager
- Optional bolt-on pistol grip



RFID MODULE OPTIONS

HF Module

Frequency: 13.56 MHz Tags supported: ISO 15693, Philips[®] ICode[™]; Ti Tagit[™]; Tagsys (C210, C220, C240, C270) Read/write range up to: 3.15 in (8 cm)

MIFARE[™] module
 Frequency: 13.56 MHz
 Tags supported: ISO 14443 A&B,
 MIFARE[™]
 Read/write range up to: 1.97 in

(5 cm) • LF module

Frequency: 125 KHz, 134.2 KHz Tags supported: EM 4x0x, EM 4x50; Hitag 1 & 2; ISO HDXA & FDXB Read/write range up to: 2.76 in (7 cm)

• UHF module

Frequency: 868 MHz or 915 MHz Tag supported: EPC Class 1 Gen 2, other protocols depending on regions

Read range up to: 98.425 in (250 cm)



EXTERNAL CONNECTORS

- One tether connection with full RS232 and USB On-The-Go
- (USB 1.1) functionality • One Low-Insertion Force (LIF) docking connector
- DC Power Jack

USER INTERFACE

Color / Touch display
 3.7 in (9.398 cm)
 Full VGA 480 x 640 resolution
 Transflective, portrait mode TFT
 Sunlight readable (for outdoor use)
 High-reliability adjustable LED
 Backlight featuring a bright
 165 cd/m2 output

- Touchscreen (standard) Passive stylus or finger operation Signature capture
- Keyboards Full alpha-numeric (C model)
- Numeric (S model) Backlit, high durability hard-capped keys
- Audio
- 90 db mono speaker
- Mono microphone
- 86 db beeper standard 95 db beeper w/ auto range laser

PROGRAMMING ENVIRONMENT

- HTML, XML
- Psion Teklogix Mobile Devices SDK
- Hardware Development Kit (HDK)
- .NET and C++ programming using Microsoft® Visual Studio® 2005
- Java programming supporting JDK 1.2.2 or higher
 Standard Protocol APIs Windows[®]
- Standard Protocol APIs Windows sockets (CE.net)



APPLICATION SOFTWARE • Internet Explorer® 6.0

- Psion Teklogix Voice Dialer and Contacts Manager incl. Windows[®] CE 5
- PTX Connect VoIP
- Terminal emulation software, supports IBM 5250, IBM 3270, HP2392, ANSI and TESS
- Mobile Control Centre (MCC) device management

EXPANSION SLOTS

- One SD/MMC memory card slot
- End-cap USB Interface supports GPS expansion module.
- 100-PIN expansion interface: supports PCMCIA (type II), GPRS/ EDGE and other third-party expansion modules developed using Psion Teklogix Hardware Developer's Kit.
- Flex cable interface supports scanner (serial) and imager (USB) modules
- One Type II CF Card Slot

POWER MANAGEMENT

- Optional 3.7V, 3300 mAh standard capacity battery
- Optional 3.7V, 4400 mAh high capacity battery
- Advanced smart battery with gaugeBuilt in charger
- Rechargeable, user replaceable backup battery pack

ENVIRONMENTAL

- Withstands multiple drops from 6 ft (1.8 m) or 26 drops (on 12 edges, 6 corners, 8 faces) from 5 ft (1.5 m) to concrete while powered on and configured with accessories such as WiFi radio, scanner / imager and pistol grip.
- Rain/Dust: IP65, IEC 60529
- Operating temperature: -4°F to 122°F (-20°C to +50°C)
- 5%-95% RH non-condensing
 Storage temperature: -40°F to
- Storage temperature: -40 F to 140°F (-40°C to +60°C)
 ESD: +/- 8kVdc air discharge,
- ESD: +/- 8kVdc air discharge +/-4kVdc contacts

PHYSICAL DIMENSIONS

- WORKABOUT PRO C: 8.78" x 2.95"/3.94" x 1.22"/1.65"
 (223 mm x 75/100 mm x 31/42 mm)
- WORKABOUT PRO S: 7.87" x 2.95"/3.94" x 1.22"/1.65" (200 mm x 75/100 mm x 31/42 mm)

APPROVALS

- Safety: CSA/UL60950-1, IEC 60950-1, EN60950-1
- EMC: FCC Part 15 Class B EN 55022 EN 55024
- EN301 489 • Laser: IEC 60825-1, Class 2 FDA 21 CFR 1040.10.
- 1040.11 Class II
- Bluetooth[®]: 1.2
- In Vehicle Cradle: e Mark

A complete list of accessories is available at:

www.psionteklogix.com



Product is ROHS Compliant.

 Note this product will carry the CE Mark.
 Specifications are subject to change without notice.



For more information, please visit www.psionteklogix.com

© Psion Teklogix Inc. Psion Teklogix, Kön, NEO, WORKABOUT PRO and Return on Mobility are registered trademarks or trademarks of Psion PLC and subsidiaries. Other products mentioned in this document may be trademarks of Psion Teklogix Inc. or trademarks or registered trademarks of other software, hardware, or service providers and are used herein for identification purposes only. Windows and the Windows Logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Ad/0709