



# SoMo® 650Rx Handheld Computer

Product of the Yea

with Antimicrobial Protection

### **Designed Specifically for Healthcare Applications**

The SoMo 650Rx is a hospital-grade handheld computer made with antimicrobial materials that provide an extra layer of protection against the multiplication and spread of potentially harmful bacteria and microbes.

Featuring a durable, lightweight, ergonomic design and robust wireless network capability, the SoMo 650Rx brings reliable automated patient data management directly to the point of care, enabling clinicians to automate healthcare applications while also optimizing patient safety across different healthcare environments.

Powered by a high-speed CPU, the SoMo 650Rx provides extremely fast application response for demanding healthcare applications. It can also be optionally configured to read barcode and RFID



data, making it a complete mobile computing, data capture and wireless networking solution. Its clear, bright display provides optimal viewing in a variety of lighting conditions, while its Li-ion extended battery enables multiple-shift operation on a single charge.

#### **BENEFITS**

- Capture patient vitals, view lab reports and write up reports at the point of care
- Identify high-risk patients who need the most care, more quickly
- Reduce costly paper-based errors that can result in liability
- Spend more time with patients and more time providing high-quality patient care

#### **KEY FEATURES**

- Windows Mobile® 6 operating system
- · Durable, lightweight, ergonomic handheld design
- Fast roaming Wi-Fi<sup>o</sup> 802.11b/g switches seamlessly between access points
- Bluetooth® 2.0 + EDR Class 2 wireless connectivity
- · Optionally configurable to read barcode, RFID, magnetic stripe or smart card data
- Deployment ready system, designed to run out of the box



#### **APPLICATIONS**

- Patient tracking
- Viewing lab reports
- Bedside POC (Point of Care)
- Pharma tracking
- Biological product tracking

#### **ADDITIONAL FEATURES**

- Cisco CCX 4.0 certified for compatibility with Cisco WLAN infrastructure and support for advanced data security and performance\*
- Extended battery provides long run times for rigorous clinical applications
- Large standard memory configuration with 128 MB SDRAM, 1 GB or 256 MB NAND FLASH to support robust applications
- Reinforced CompactFlash and SDIO slots for long product life and protection of peripheral devices
- Hard capped buttons for ease of use and long life
- Side mounted software programmable action buttons for better user control
- Control hold switch to prevent accidental button input with configuration software
- Recessed power switch to extend battery life and prevent accidental power-on/off
- Complete line of accessories to fit many application requirements
- SoMo File Store provides non-volatile storage for device ROM image and applications/ configurations that survives a hard reset

#### SoMo 650Rx Handheld Computer with Antimicrobial Protection



"The SoMo 650 provides the features and the flexibility that is needed in healthcare and does it in a package that can be supported at an enterprise level."

— Jim Kohler Associate Director, Point of Care Solutions Hospira

# socket.

Sales Offices Corporate Headquarters: 39700 Eureka Drive Newark, CA 94560 USA

Web: socketmobile.com
Phone: +1-510-933-3000

US & Canada Toll Free: 800-552-3300

Fax: +1-510-933-3030

Online: socketmobile.com/contact

#### **Long Available Life**

For healthcare organizations, short product availability and lifespan can be key challenges to implementations. The SoMo 650Rx has a product life far longer than typical consumer PDAs, giving organizations ample time to qualify, deploy, and get a return on investment. Also, when users are ready to upgrade, Socket provides realistic thoughtful migration options to assure a smooth transition.

#### **Flexibility over Time**

The SoMo 650Rx is easy to customize with a wide range of barcode, RFID, magnetic stripe, and smart card readers, as well as communications peripherals for Ethernet, modem or WWAN broadband connections. Software drivers and utilities are preloaded on the SoMo 650Rx, so you can deploy out of the box with your favorite Socket peripheral. The device's rich *Bluetooth* implementation enables you to connect to Socket hand-held and hands-free barcode scanning solutions along with printers, medical devices or other readily available 3rd party *Bluetooth* peripherals.

#### **Best-in-Class Wireless**

The SoMo 650Rx incorporates best-in-class *Bluetooth* and Wi-Fi technology, with one of the most complete libraries of *Bluetooth* profiles in the market, ensuring compatibility with the broadest range of 3rd party *Bluetooth* based peripherals, as well as the latest 802.11b/g Wi-Fi technology to provide robust coverage, fast roaming, and superior network security. With Socket Enhanced Wi-Fi Companion software (optional to install), the device is also Cisco CCX 4.0 certified for use with Cisco WLAN infrastructure. The SoMo 650Rx Back Pack (sold separately) enables you to add a Novatel Wireless ExpressCard modem card for wireless broadband.

#### **SocketCare™ Enhanced Service Program**

Experience maximum performance while lowering Total Cost of Ownership (TCO) with SocketCare, which features high quality support from Socket specialists, accelerated repair and replacement, and fast and reliable product service at competitive costs. For more information, visit: www.socketmobile.com/support/socketcare/

Product	Package Contents
SoMo 650Rx-E	- SoMo 650Rx - Wall Charger - USB Sync /Charging Cable - Extended Battery - Full Size Stylus - Quick Start Guide - Getting Started CD with Software and User's Guide
SoMo 650Rx-M	Same as above plus: - Desktop Docking Cradle - Carrying Case - 2.5 to 3.5 mm Headset Adapter - Audio Headset with Microphone

Languages Available
- Worldwide English - Chinese - Dutch - Finnish - French - German - Italian - Japanese - Norwegian - Portuguese (Brazilian) - Portuguese (Iberian) - Spanish - Swedish











© 2008-2010 Socket Mobile, Inc. Socket, the Socket logo, SoMo, SocketCare, Enhanced Wi-Fi Companion, Business Mobility Now! and Mobility Friendly are registered trademarks or trademarks of Socket Mobile, Inc. Microsoft is a registered trademark of the Microsoft group of companies. The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Socket Mobile, Inc. is under license. Wi-Fi is a registered trademark of the Wi-Fi Alliance. 6450-00187H 4/2010

# SoMo® 650Rx Handheld Computer

With Antimicrobial Protection

## Specification Sheet

	ı
<	ť
C	Ì
7	
۲	
4	

# PRE-LOADED SOFTWARE

Ц	ч
L	J
$\succeq$	S
4	6
4	۲
-	3
2	2
n	Z
7	₹
۶	,
щ	9
	2
п	п

Dimensions	5.00 x 2.94 x 0.98 inches (127 x 74.60 x 25 mm)		
Total Mass	7.20 oz (204 g) with extended battery and stylus  2.49 on Methicillin-resistant Staphylococcus aureus (MRSA) 6.07 when cleaned with Sani-Cloth® Plus disposable cloth wipes		
Antimicrobial Rating (JIS Z2801:2000 Test)			
Antimicrobial Additive	Ishizuka Glass, Ionpur IPL EPA# 73148-3, FDA# FCN000432, EFSA registe	Ishizuka Glass, Ionpur IPL EPA# 73148-3, FDA# FCN000432, EFSA registered in EU	
Display	65K colors TFT LCD, 3.5" 16 bit per pixel, 240	65K colors TFT LCD, 3.5" 16 bit per pixel, 240 (w) x 320 (l) resolution	
Touch Panel	Glass analog resistive touch		
Backlight	White LED backlight	White LED backlight	
Extended Battery	3.7V 2600 mAh Lithium lon rechargable	3.7V 2600 mAh Lithium Ion rechargable	
Backup Battery	Super Capacitor to support Realtime Clock		
Expansion Slots	CompactFlash and SDIO Slots: Reinforced to p	CompactFlash and SDIO Slots: Reinforced to prevent damage from drop events	
LED Indicators	Red/Green LED for alarm, battery charging	Blue/Green LED for Bluetooth and Wireless LAN	
Buttons	4 front panel programmable soft buttons 2 side programmable action buttons Control hold switch	5 navigation buttons Device reset button Power on/off button	
Input Devices	Stylus (Note: touch sensitive display for stylus	Stylus (Note: touch sensitive display for stylus or fingertip)	
Connectors	Barrel connector power jack USB 1.1 host & USB 2.0 Client	26 pin docking connector for ActiveSync 2.5mm headset jack with support for voice & stereo music	
Audio	Built-in Microphone and Speaker, voice recording capability with Notes application		

Microsoft Software	Office Mobile: Word Mobile, Excel Mobile, PowerPoint Mobile, OneNote Mobile Web/Communications: Office Outlook Mobile, Internet Explorer, MSN Messenger Client Synchronization/Remote Access: ActiveSync Client, Remote Desktop Mobile Media: Windows Media Player Mobile Other: Programmable Home Screen, .NET Compact Framework v2.0, Calculator, Tasks, Notes
Socket Software*	Data Capture: SocketScan <sup>™</sup> for Socket barcode / RFID / magnetic stripe readers and UIC683 smart card reader Wireless Broadband: SoMo 650 Back Pack Utilities WLAN / <i>Bluetooth</i> : Connect!Agent <sup>™</sup> , Enhanced Wi-Fi® Companion <sup>™</sup> Power Management: Power Plus Battery Friendly® Utility, Hold Switch Utility, CPU Performance Utility Cabled Communications: Modem Utilities, Ethernet Utilities
SocketSerial Software Serial I/O Card drivers, USB-to-Serial Adapter drivers, USB Ethernet Gigabit Adapter drivers	
Sprite Mobile Software	Sprite Backup (trial version)

Processor	Intel PXA270 @ 624 MHz
Operating System	Windows Mobile® 6 Classic
Languages Available	Worldwide English, Chinese, Finnish, French, German, Italian, Japanese, Norwegian, Portuguese (Brazilian), Portuguese (Iberian), Spanish, Swedish (Languages available via ROM upgrade, free to registered users)
Memory 128 MB SDRAM, 1 GB or 256 MB NAND FLASH	
SoMo File Store	Non-volatile memory for device applications/configurations can survive hard reset of device Features Auto-Run support, ideal for provisioning deployments

Operating Temperature	0° to 50° C (32° to 120° F)
Storage Temperature	-25° to 75° C (-13° to 167° F)
Humidity	95% non-condensing
Drop Specification	Multiple 1 m (3.3 ft) drops to concrete covered with vinyl (1.3 m (4.3 ft) with optional DuraCase)
ESD Specification	+/- 8kV air discharge, +/- 8kV direct discharge

Wireless Local Area Network	IEEE® 802.11 b/g Data Rate: 1/2/5.5/6/9/11/12/18/24/36/48/54 Mbps Frequency Range: Country dependent (chan 1- 14); 2.412 to 2.484 GHz Output Power: 14.5 dBm (OFDM); 16 dBm (CCK) Antenna: Internal	
Bluetooth	v2.0 + EDR Class 2 Supported Profiles: - GAP: Generic Access Profile - SDP: Service Discovery Profile - A2DP - Advanced Audio Profile - AVCTP - Audio/Video Control Transport Protocol - AVRCP - Audio/Video Remote Control Profile - GAVDP - Generic Audio/Video Distribution Profile	- DUN - Dial-up Networking Profile - AVDTP - Audio/Video Distribution Transport Protocol - HSP: Headset Profile - HID - Human Interface Device (Host role) - OPP - Object Push Profile (Client and Server) - SPP - Serial Port Profile

Warranty	Handheld Computer: One year standard warranty SocketCare enhanced service program available separate	Accessories (battery, cable, etc.): 90 day warranty ly
Certification/ Compliance	FCC: Part 15, Class B Industry Canada RoHS and WEEE compliant EMI / RFI Bluetooth Certification (BQB test) Microsoft Windows Mobile 5.0/6.1 Logo Test Certification EU/International: EN301 489-1, -17 EN61000-4-2: 1995, ESD ± 8kV air/±4kV contact TELEC	EN61000-4-3: 1997, radiated Immunity 3V/m EN61000-4-4: 1995, EFT ± 0.55kV EN61000-4-5: 1995, Surge ± 0.5kV EN61000-4-6: 1 CE: EN Electrical Safety EN60950, UL, CSA Wi-Fi Alliance Certification USB IF Test Cisco CCX 4.0 (requires Enhanced Wi-Fi Companion)

Data Capture Barcode / RFID / magnetic stripe / smart card readers (SD / CF card or <i>Bluetooth</i> wireless)  Wireless Broadband SoMo 650Rx Back Pack wireless broadband ExpressCard adapter (Novatel Wireless modem not included)	
Protection DuraCase protective case, Screen protector kit, FlexGuard silicone cover, Belt carrying case	
Input Tethered stylus, Medical-grade and silicone keyboards	
· · · · · · · · · · · · · · · · · · ·	

For a full list of Socket peripherals and accessories, visit: http://ww1.socketmobile.com/products/handheld-computers/accessories-hc.aspx To learn about accessories from STAR partners, visit: http://ww1.socketmobile.com/products/star.aspx

Sales Offices Corporate Headquarters: 39700 Eureka Drive Newark, CA 94560 USA

Web: socketmobile.com Phone: +1-510-933-3000

USA & Canada Toll Free: 800-552-3300

Fax: +1-510-933-3030

Online: socketmobile.com/contact

Product	Package Contents
SoMo 650Rx-E	- SoMo 650Rx - USB Sync/Power Cable - Wall Charger: AC/DC adapter, Input 100~240 V AC - Extended Battery - Full Size Stylus - Quick Start Guide - Getting Started CD with Software and User's Guide
SoMo 650Rx-M	Same as above plus:  - Desktop Docking Cradle: Simultaneous charge for docked unit and spare battery, includes USB 1.1 Host and USB 2.0 Client ports, powered from wall charger or USB synch/power cable  - Carrying Case  - 2.5 to 3.5 mm audio headset adapter  - Audio headset with microphone

© 2008-2010 Socket Mobile, Inc. Socket, the Socket logo, SoMo, Enhanced Wi-Fi Companion, SocketScan, Connect!Agent, Windows is a registered trademark of the Microsoft group of companies. The *Bluetooth* word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Socket Mobile, Inc. is under license. Wi-Fi is a registered trademark of the Wi-Fi Alliance. All other brand and product names are trademarks of their respective holders. 6450-00188 I 6/2010